


NOVA LUCE

Outdoor Collection
2025

NOVA LUCE

Outdoor Collection
2025



For
brightening
your natural
moments

our outdoor collection
curated with the intention
to inspire



outdoor

OUTDOOR

Bollard

26 | ETA



27 | DIRA



28 | SOLSTICE



30 | MABEL



32 | VIRTUS



34 | IMAN



37 | TUBE



39 | SASSO



40 | STOR



44 | MARBLE



47 | ALLEY



48 | KIOO



51 | ROB



53 | TEK



54 | CHIARO



57 | SOUL



57 | TALA



59 | AIRY



60 | ROCK



60 | NOTEN



63 | TAGLIO




64 | NEVE



64 | PISTILLO



66 | METRO



68 | BROT



68 | NOOI



70 | LORD



70 | LUXOR



72 | GLEAM



73 | VEL



74 | OFIR



74 | POET



77 | PIPE



78 | ORACLE



81 | MOTLEY



83 | MOTLEY



85 | CARINA



87 | NEMO



87 | MOOD



88 | TOWER



88 | NITRO



90 | SUITE



92 | STONE



94 | MAX



94 | AGOSTO



97 | ADURO



97 | TIEN



97 | TALA



99 | MADDI



101 | TALL



102 | MINIMAL



103 | PORTAL



105 | ELLERY



107 | ZELDA



109 | BRIGITTA



111 | BLISS



111 | NED



112 | VOLVEL



113 | TWIN



114 | FARGE



117 | PARK



118 | POSEN



118 | ENZI



120 | ACQUA



120 | APOLLO



123 | PYRO



124 | STICK



126 | FERRON



127 | LOCK



128 | PEC



130 | RAMO



184 | OPU



184 | CUPPA



187 | ZEST



187 | LOEVE



189 | ADORAY



189 | FIGO



130 | CAPO



132 | FEND



134 | FOCUS



136 | SPY



139 | SENTO



141 | AETHER



190 | PACIFIC



192 | CETERA



192 | ZOSIA



194 | SELENA



196 | OMIKA



198 | ISIDORA



142 | DYOL



144 | DARMA



146 | SLOT



149 | DESSAY



150 | NAWA



153 | ARION



Cement

202 | NAVY



204 | LUA



206 | BARCO



206 | CAIRO



208 | CRAM



155 | PAUL



156 | DYN



156 | LOVETO



160 | MOON



162 | MOON



167 | COSMIC



211 | TURA



213 | BEV



214 | STAGE



214 | NODINO



216 | ARAN



216 | GRANTE



168 | BERNI



170 | AKMI



170 | MISTI




172 | PAX



175 | OPTUS



175 | SURF



219 | CASTRO



220 | LUNA



221 | LITA



222 | LIDO



223 | EMILE



223 | FUENTO



177 | AIGO



177 | NEREUS



178 | ELYSIUM



181 | STARK



181 | DEVORA



182 | PRIVE



224 | RITZ



225 | PAR



225 | EMILE



226 | PETRA



227 | MINOR



Wall

230 | COPPER



232 | CICO



235 | ALUX



236 | MOBY



238 | PRIVE



270 | ZIRI



270 | AGILE



270 | GRAVITY



271 | PURE



271 | NECTAR



271 | PARRIS



241 | SORREN



241 | REGINA



243 | BREGGO



244 | RIDGE



247 | ISOS



249 | ANETH



272 | SALLY



272 | GERBER



272 | VIDENO



273 | VALOR



273 | TRENDO



273 | PRIM



249 | DOUL



251 | PATH



252 | NOVA



253 | INGA



254 | FLORA



255 | ALLURE



275 | EPIC



275 | COMO



277 | OPERA



279 | ZARI



279 | COMO



280 | ELIO



256 | BROWN



258 | ASTRAL



260 | KEEN



262 | LUPO



262 | KEEN



263 | NOBU



282 | ALP



283 | DIO



284 | DUOMO



284 | SERIKA



285 | MILEY



285 | VEIRO



263 | ZENON



263 | CAPE



264 | ARTU



264 | FUNGO



265 | OONO



265 | COMBO



286 | BRICE



287 | DEWEI



287 | AZAR



288 | BOXY



290 | ORION



291 | TICK



266 | NOCTA



266 | POLLY



269 | ARABELLA



269 | MILE



269 | FEDOR



270 | BRIN



292 | PRATO



292 | COMO



293 | SOHO



293 | ZARO



293 | DEWI



294 | YOKO



294 | WAY



295 | YORK



296 | BETA



296 | NUS



296 | DARF



297 | HELMET



330 | DARA



330 | SPOT



331 | CERISE



333 | BLADE



297 | FOCUS



297 | OVI



298 | TORRIN



299 | LUSY



301 | NERO



302 | NODUS



Portable
Lights

339 | PUK



341 | GRIGIO



342 | ELBO



344 | YCRO



347 | DALT



303 | JACKIE



304 | LIMBIO



306 | LETO



308 | ZENITH



310 | ARROW



310 | TIEPOLO



349 | LUMO



350 | CHARGING BASE



352 | ROSE



353 | FUMO



355 | DECK



356 | PETIT



313 | TUNE



313 | DROPLET



314 | AMEL



359 | SEINA



360 | COLT



360 | COLT



364 | JIGRA



365 | VERHAL



366 | TEGOLO



Ceiling

321 | SPIX



321 | ALI



323 | SKY



323 | OLIVER



323 | TOMMY



367 | LUCIA



369 | BALI



370 | MOCHA



370 | FIGI



373 | PERSEA



324 | JUDI



324 | REO



326 | JAX



327 | FOCUS



328 | LUMINA



329 | CECI



Step
Lights

378 | PAN



379 | BRIGI



379 | ARNE



380 | RODIX



380 | FEM



383 | NECTAR



383 | TOBY



384 | SUB



386 | LIV



387 | VISION



387 | RIO



Accent
Lights

424 | ONE



424 | ANDER



425 | FOX



427 | QUICK



427 | CALIX



389 | PASSO



391 | SANGO



392 | SOREN



394 | APPIA



397 | LUTON



397 | KRYPTON



428 | INSIDE



428 | MINI



430 | STAKE



431 | KIMIKO



431 | VIDA



432 | INSIDE



398 | PULSAR



400 | FINLO



401 | MORIS



402 | KRYPTON



404 | ECHO



404 | VIVION



432 | DESTRY



433 | NORTH



434 | WALL WASHER



406 | OFF



406 | POLKA



407 | POLKA



407 | MONO



408 | RUDY



408 | OLIN



411 | AIZEN



412 | JOYA



412 | KRYPTON



413 | CAEL



413 | CIRCE



413 | COVE



414 | COMPO



414 | ERIS



415 | IKO



416 | BANG



418 | PASSAGIO






Bollard

Our bollard lights bring a rustic charm to outdoor spaces, blending effortlessly with the natural surroundings.

These lights offer a harmonious balance of functionality and artistic design, providing subtle, inviting illumination for gardens, pathways and patios





ETA
 — 9136419

Dark Anthracite
 Aluminium
 & Polycarbonate
 LED · 21 Watt
 220-240 Vac
 1562Lm · 3000K
 IP65

—
 L: 23
 W: 12
 H: 200 cm



ETA
 — 9136419

23
 200
 12

DIRA
 — 9030161

Dark Anthracite
 Die-Casting
 Aluminium
 & Clear Glass
 LED · 11 Watt
 220-240 Vac
 472Lm · 3000K
 IP65

—
 L: 11.5
 W: 6.5
 H: 200 cm



DIRA
 — 9030160

Dark Anthracite
 Die-Casting
 Aluminium
 & Clear Glass
 LED · 6 Watt
 220-240 Vac
 257Lm · 3000K
 IP65

—
 L: 11.5
 W: 5
 H: 65 cm



DIRA
 — 9030161

11.5
 200
 6.5

DIRA
 — 9030160

11.5
 65
 5



SOLSTICE
— 9030626

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 16 Watt
220-240 Vac
1130Lm · 3000K
IP65

—
D: 16
H: 220 cm



SOLSTICE
— 9030627

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 16 Watt
220-240 Vac
1105Lm · 3000K
IP65


—
L: 14.5
W: 14.5
H: 220 cm



SOLSTICE
— 9030626



SOLSTICE
— 9030627



MABEL

— 9002870

Dark Anthracite
Aluminium
& Clear Glass
LED · 17 Watt
220-240 Vac
1190Lm · 3000K
IP54

Beam angle 36°

—
D: 48.9

W: 20.1

H: 201.2 cm

Cable Length: 35 cm



MABEL

— 9002869

Dark Anthracite
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
590Lm · 3000K
IP54

Beam angle 36°

—
D: 7.8

W: 7.8

H: 150 cm

Cable Length: 64 cm



MABEL
— 9002870



MABEL
— 9002869



VIRTUS

— 9030572

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 16 Watt
220-240 Vac
1190Lm · 3000K
IP65


—
D1: 30
D2: 12
H: 33 cm



VIRTUS
— 9030572



VIRTUS
— 9030573



VIRTUS

— 9030573

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 16 Watt
220-240 Vac
1190Lm · 3000K
IP65

**Connect with code
9030574 or 9030575**

—
D1: 30
D2: 12
H: 27 cm



VIRTUS
— 9030574



VIRTUS

— 9030574

Dark Anthracite
Die-Casting
Aluminium

**Connect with code
9030573**

—
D: 12
H: 55 cm

VIRTUS

— 9030575

Dark Anthracite
Die-Casting
Aluminium
**Connect with code
9030573**

—
D: 12
H: 155 cm

VIRTUS
— 9030575



IMAN

— 9030108

Sandy Black
Aluminium
& Acrylic
LED · 43 Watt
220-240 Vac
4785Lm · 3000K
IP65

—
D: 16
H: 205 cm




IMAN



— 9030107

Sandy Black
Aluminium
& Acrylic
LED · 25 Watt
220-240 Vac
3037Lm · 3000K
IP65


—
D: 16
H: 105 cm



IMAN
— 9030108



IMAN
— 9030107



IMAN
— 9030106





TUBE

— 9030805

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 14 Watt
220-240 Vac
643Lm · 3000K
IP54

—
D: 13
H: 60 cm



TUBE

— 9030806

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 27 Watt
220-240 Vac
1560Lm · 3000K
IP54


—
D: 13
H: 120 cm



TUBE
— 9030805



TUBE
— 9030806





SASSO
— 9030856

Dark Anthracite
Aluminium
& Polycarbonate
LED · 22 Watt
220-240 Vac
818Lm · 3000K
IP54

Light front

L: 15
W: 9.5
H: 170 cm




SASSO
— 9030855

Dark Anthracite
Aluminium
& Polycarbonate
LED · 22 Watt
220-240 Vac
756Lm · 3000K
IP54

Light front

L: 15
W: 9.5
H: 120 cm



SASSO
— 9026125

Dark Anthracite
Aluminium
& Polycarbonate
LED · 12 Watt
220-240 Vac
601Lm · 3000K
IP54

Light front

L: 15
W: 9.5
H: 70 cm



SASSO
— 9030854

Dark Anthracite
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
374Lm · 3000K
IP54

Light front

L: 15
W: 9.5
H: 40 cm



STOR
— 9030111

Sandy Black
Aluminium
& Acrylic
LED · 12 Watt
220-240 Vac
719Lm · 3000K
IP65

Light back & front

L: 8
W: 12
H: 60 cm



STOR
— 9030112

Sandy Black
Aluminium
& Acrylic
LED · 17 Watt
220-240 Vac
989Lm · 3000K
IP65

Light back & front

L: 8
W: 12
H: 100 cm



STOR
— 9030113

Sandy Black
Aluminium
& Acrylic
LED · 23 Watt
220-240 Vac
1397Lm · 3000K
IP65

Light back & front

L: 8
W: 12
H: 150 cm



STOR
— 9030111



STOR
— 9030112



STOR
— 9030113





BALMA
— 9080143

Marble Travertine
LED · 10 Watt
220-240 Vac
810Lm · 3000K
IP65
—
D: 10.2
H: 12 cm



BALMA
— 9080142

Marble Travertine
LED · 23 Watt
220-240 Vac
1864Lm · 3000K
IP65
Light up & down
—
D: 11.3
W: 14.7
H: 29 cm



BALMA
— 9080144

Marble Travertine
LED · 21 Watt
220-240 Vac
1005Lm · 3000K
IP65
—
D: 19.2
H: 54 cm



MARBLE
— 9080143




BALMA
— 9080141


Marble Travertine
LED · 21 Watt
220-240 Vac
981Lm · 3000K
IP65
—
D: 19.2
H: 54 cm



MARBLE
— 9080142



MARBLE
— 9080144



MARBLE
— 9080141






ALLEY
— 9136422



ALLEY
— 9136423



ALLEY
— 9136424



ALLEY
— 9136422

Dark Anthracite
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
365Lm · 3000K
IP65

Beam angle 38°

—
L: 14
W: 8
H: 30 cm



ALLEY
— 9136423

Dark Anthracite
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
365Lm · 3000K
IP65

Beam angle 38°

—
L: 14
W: 8
H: 50 cm



ALLEY
— 9136424

Dark Anthracite
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
365Lm · 3000K
IP65

Beam angle 38°

—
L: 14
W: 8
H: 75 cm





K100
— 9136427

Sandy Black
& Wood Color
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
775Lm · 3000K
IP65

2 Lighting types

—
L: 14
W: 8
H: 14 cm




K100
— 9136428

Sandy Black
& Wood Color
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
464Lm · 3000K
IP65

—
L: 14
W: 8
H: 50 cm



K100
— 9136427



K100
— 9136428





ROB


— 9136409

Sandy Black
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
671Lm · 3000K
IP54
Beam angle 52°

L: 12
W: 12
H: 12 cm



ROB
— 9136409



ROB

— 9136429

Sandy Black
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
464Lm · 3000K
IP65
Beam angle 20°

L: 13
W: 15
H: 50 cm



ROB
— 9136429



ROB

— 9136430

Sandy Black
Aluminium
& Glass
LED · 13 Watt
220-240 Vac
757Lm · 3000K
IP65
Beam angle 20°


L: 13
W: 15
H: 90 cm




ROB
— 9136430



Special Reflector: Light up to 12m





TEK
— 9136460

Sandy Black
Aluminium
& Polycarbonate
LED · 1 Watt
5 Vdc · 105Lm
3000K · IP54

Solar light
With motion sensor

—
L: 11.3
W: 19
H: 5.4 cm



TEK
— 9136461

Sandy Black
Aluminium
& Polycarbonate
LED · 1 Watt
5 Vdc · 105Lm
3000K · IP54

Solar light
With motion sensor
Included plastic
spike (+21cm)

—
L: 11.3
W: 19
H: 65 cm



TEK
— 9136460



TEK
— 9136461



WORKING TIME	Charge: 12-14 hrs
100% of light	15% of light
6 Hrs	350 Hrs

- Three Lights Modes**
1. Motion: Light up 100% when someone pass by
 2. Solar: Light up 100% at night
 3. Multifunctional: Light up 15% at night and 100% when someone pass by





CHIARO
— 9136462

Sandy Black
Aluminium
& Polycarbonate
LED · 1 Watt
5 Vdc · 69Lm
3000K · IP54

Solar light
With motion sensor
Included plastic
spike (+21cm)

D: 17
H: 50 cm




CHIARO
— 9136463

Sandy Black
Aluminium
& Polycarbonate
LED · 1 Watt
5 Vdc · 69Lm
3000K · IP54

Solar light
With motion sensor
Included plastic
spike (+21cm)

D: 17
H: 90 cm



WORKING TIME	Charge: 11-13 hrs
100% of light	15% of light
6 hrs	350 hrs

- Three Lights Modes**
1. Motion: Light up 100% when someone pass by
 2. Solar: Light up 100% at night
 3. Multifunctional: Light up 15% at night and 100% when someone pass by





SOUL

— 9030744

Sandy Black
Aluminium
& Glass
LED · 24 Watt
220-240 Vac
712Lm · 3000K
IP65

—
D: 16
H: 43 cm



SOUL

— 9030745

Sandy Black
Aluminium
& Glass
LED · 24 Watt
220-240 Vac
712Lm · 3000K
IP65

—
D: 16
H: 73 cm



TALA

— 9026123

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
594Lm · 3000K
IP54

—
D: 13.4
H: 25 cm



TALA


— 9026124

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
594Lm · 3000K
IP54

—
D: 13.4
H: 70 cm



SOUL
— 9030744




SOUL
— 9030745



TALA
— 9026123



TALA
— 9026124





AIRY

— 9136443

Sandy Black
Aluminium
& Polycarbonate
LED · 8 Watt
220-240 Vac
369Lm · 3000K
IP54

—
D: 15
W: 11.5 cm



AIRY

— 9136444

Sandy Black
Aluminium
& Polycarbonate
LED · 8 Watt
220-240 Vac
369Lm · 3000K
IP65

—
D: 14.5
H: 25 cm




AIRY

— 9136445

Sandy Black
Aluminium
& Polycarbonate
LED · 8 Watt
220-240 Vac
369Lm · 3000K
IP65

—
D: 14.5
H: 65 cm



AIRY
— 9136443



11.5
-15-

AIRY
— 9136444



14.5
-25-

AIRY
— 9136445



14.5
-65-



ROCK
— 9905025



ROCK
— 9905024



NOTEN
— 9905023



NOTEN
— 9905022



NOTEN
— 9905021



ROCK
— 9905025

Sandy Black
& Silver Aluminium
& Clear Acrylic
LED · 8 Watt
220-240 Vac
937Lm · 3000K
IP65
—
D: 9
H: 43 cm



ROCK
— 9905024

Sandy Black
& Silver Aluminium
& Clear Acrylic
LED · 8 Watt
220-240 Vac
937Lm · 3000K
IP65
—
D: 9
H: 83 cm



NOTEN
— 9905023

Sandy Black
Aluminium
Clear & Frost
Acrylic
LED · 8 Watt
220-240 Vac
937Lm · 3000K
IP65
—
D: 9
H: 20 cm




NOTEN
— 9905022

Sandy Black
Aluminium
Clear & Frost
Acrylic
LED · 8 Watt
220-240 Vac
937Lm · 3000K
IP65
—
D: 9
H: 40 cm



NOTEN
— 9905021

Sandy Black
Aluminium
Clear & Frost
Acrylic
LED · 8 Watt
220-240 Vac
937Lm · 3000K
IP65
—
D: 9
H: 80 cm





TAGLIO
— 9695505

Sandy Black
Aluminium
LED · 3 Watt
220-240 Vac
175Lm · 3000K
IP65

—
D: 12
H: 24 cm



TAGLIO
— 9695506

Sandy Black
Aluminium
LED · 5 Watt
220-240 Vac
332Lm · 3000K
IP65



—
D: 12
H: 45 cm



TAGLIO
— 9695507

Sandy Black
Aluminium
LED · 8 Watt
220-240 Vac
535Lm · 3000K
IP65

—
D: 12
H: 65 cm



NEVE
— 9030718

Sandy Black
Aluminium
LED · 11 Watt
220-240 Vac
600Lm · 3000K
IP65

—
D: 13
H: 30 cm



NEVE
— 9030719

Sandy Black
Aluminium
LED · 11 Watt
220-240 Vac
600Lm · 3000K
IP65

—
D: 13
H: 50 cm



PISTILLO
— 9136425

Sandy Black
Aluminium
& Polycarbonate
LED · 13 Watt
220-240 Vac
950Lm · 3000K
IP65

—
D: 14.5
H: 50 cm



PISTILLO
— 9136426

Sandy Black
Aluminium
& Polycarbonate
LED · 13 Watt
220-240 Vac
950Lm · 3000K
IP65

—
D: 14.5
H: 90 cm




NEVE
— 9030718




NEVE
— 9030719



PISTILLO
— 9136425



PISTILLO
— 9136426





METRO
— 9030716

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
405Lm · 3000K
IP65
—
D: 30
H: 34 cm



METRO
— 9030717

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
405Lm · 3000K
IP65
—
D: 40
H: 44 cm




METRO
— 9030114


Sandy Black
Aluminium
LED · 10 Watt
220-240 Vac
883Lm · 3000K
IP65
—
D: 60
H: 65 cm




METRO
— 9030716



METRO
— 9030717



METRO
— 9030114



BROT
— 9186709

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
277Lm · 3000K
IP65

—
D: 9
H: 29.5 cm



BROT
— 9186710

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
277Lm · 3000K
IP65

—
D: 9
H: 59.5 cm



NOOI
— 9971466

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
185Lm · 3000K
IP65

Beam angle 12°
—
D: 10.5
H: 30 cm



NOOI
— 9971467

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
185Lm · 3000K
IP65

Beam angle 12°
—
D: 10.5
H: 60 cm



BROT
— 9186709



9
29.5

BROT
— 9186710



9
59.5

NOOI
— 9971466



10.5
30

NOOI
— 9971467



10.5
60





LORD
— 9060247




LUXOR
— 9060249



LORD
— 9060248



LUXOR
— 9060250



LORD
— 9060247

Sandy Black
Aluminium
LED · 4 Watt
220-240 Vac
217Lm · 3000K
IP65

—
D: 8
H: 60 cm



LUXOR
— 9060249

Sandy Black
Aluminium
LED · 4 Watt
220-240 Vac
143Lm · 3000K
IP65

—
D: 8
H: 60 cm



LORD
— 9060248

Sandy Black
Aluminium
LED · 8 Watt
220-240 Vac
356 Lm · 3000K
IP65

—
D: 8
H: 90 cm




LUXOR
— 9060250

Sandy Black
Aluminium
LED · 8 Watt
220-240 Vac
378 Lm · 3000K
IP65

—
D: 8
H: 90 cm





GLEAM
— 9030846

Dark Anthracite
Aluminium
& Clear Glass
LED · 5 Watt
100-240 Vac
183Lm · 3000K
IP65
—
L: 20
D: 3
H: 60 cm



GLEAM
— 9030847

Dark Anthracite
Aluminium
& Clear Glass
LED · 5 Watt
100-240 Vac
183Lm · 3000K
IP65
—
L: 20
D: 3
H: 80 cm




VEL
— 9030723

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
700Lm · 3000K
IP65
—
L: 9.5
H: 61 cm




VEL
— 9030724


Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
700Lm · 3000K
IP65
—
L: 9.5
H: 80 cm




OFIR
— 9002866




OFIR
— 9002867




OFIR
— 9002868



POET
— 9492780



POET
— 9492770



OFIR
— 9002866

Dark Anthracite & Acrylic
LED · 10 Watt
220-240 Vac
660Lm · 3000K
IP54

—
L: 8
W: 7
H: 16 cm



OFIR
— 9002867

Dark Anthracite & Acrylic
LED · 10 Watt
220-240 Vac
660Lm · 3000K
IP54

—
L: 16
W: 8
H: 50 cm



OFIR
— 9002868

Dark Anthracite & Acrylic
LED · 10 Watt
220-240 Vac
660Lm · 3000K
IP54

—
L: 16
W: 8
H: 75 cm



POET
— 9492780

Dark Anthracite Die-Casting Aluminium & Clear Glass
LED · 16 Watt
220-240 Vac
1177Lm · 3000K
IP65

—
L: 23.5
W: 10
H: 65 cm



POET
— 9492770


Dark Anthracite Die-Casting Aluminium & Clear Glass
LED · 8 Watt
220-240 Vac
560Lm · 3000K
IP65

—
L: 13.5
W: 10
H: 65 cm







PIPE
— 9060263




PIPE
— 9060264



PIPE
— 9060261



PIPE
— 9060262



PIPE
— 9060263

Sandy Black
Aluminium
LED · 5 Watt
220-240 Vac
188Lm · 3000K
IP65
—
L: 11
H: 64.5 cm



PIPE
— 9060264

Corten
Aluminium
LED · 5 Watt
220-240 Vac
188Lm · 3000K
IP65
—
L: 11
H: 64.5 cm



PIPE
— 9060261

Sandy Black
Aluminium
LED · 5 Watt
220-240 Vac
188Lm · 3000K
IP65
—
L: 11
H: 94.5 cm



PIPE
— 9060262

Corten
Aluminium
LED · 5 Watt
220-240 Vac
188Lm · 3000K
IP65
—
L: 11
H: 94.5 cm





ORACLE
— 9060243

Sandy Black
Aluminium
& Opal Glass
LED · 9 Watt
220-240 Vac
425Lm · 3000K
IP65


L: 12
W: 21.8
H: 17.5 cm



ORACLE
— 9060243



GL90602431




ORACLE
— 9060244

Corten
Aluminium
& Opal Glass
LED · 9 Watt
220-240 Vac
425Lm · 3000K
IP65

L: 12
W: 21.8
H: 17.5 cm



ORACLE
— 9060244



ORACLE
— 9060245

Sandy Black
Aluminium
& Opal Glass
LED · 8 Watt
220-240 Vac
326Lm · 3000K
IP65

L: 12
W: 21
H: 90 cm



ORACLE
— 9060245




ORACLE
— 9060246


Sandy Black
Aluminium
& Opal Glass
LED · 8 Watt
220-240 Vac
326 Lm · 3000K
IP65

L: 12
W: 21
H: 60 cm




ORACLE
— 9060246






MOTLEY
— 9060323



MOTLEY
— 9060320



MOTLEY
— 9060232



MOTLEY
— 9060230



MOTLEY
— 9060323

Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
H: 175 cm



MOTLEY
— 9060320

Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
H: 175 cm



MOTLEY
— 9060232


Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
W: 18.5
H: 70 cm



MOTLEY
— 9060230

Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
D: 10
W: 18.5
H: 100 cm





MOTLEY
— 9060322




MOTLEY
— 9060321



MOTLEY
— 9060233



MOTLEY
— 9060231



MOTLEY
— 9060322

Corten
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65

—
D: 10
H: 175 cm



MOTLEY
— 9060321

Corten
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65

—
D: 10
H: 35 cm



MOTLEY
— 9060233

Corten
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65

—
D: 10
W: 18.5
H: 70 cm



MOTLEY
— 9060231

Corten
Aluminium
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65

—
D: 10
W: 18.5
H: 100 cm





CARINA
— 9060207

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
279Lm · 3000K
IP65

—
D: 18
H: 150 cm



CARINA
— 9060208

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
279Lm · 3000K
IP65


—
D: 18
W: 21.5
H: 30 cm



CARINA
— 9060213

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
279Lm · 3000K
IP65

—
D: 18
W: 27
H: 90 cm




CARINA
— 9060207



CARINA
— 9060208



CARINA
— 9060213





NEMO
— 9030861

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
424Lm · 3000K
IP65
—
D: 11
H: 20 cm



MOOD
— 9030858

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
402Lm · 3000K
IP65
—
D: 11
H: 20 cm



MOOD
— 9030857

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
402Lm · 3000K
IP65
—
D: 11
H: 20 cm



MOOD
— 9030859

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
402Lm · 3000K
IP65
—
D: 11
H: 40 cm



NEMO
— 9030861



NEMO
— 9030862



MOOD
— 9030858



MOOD
— 9030860



MOOD
— 9030857



MOOD
— 9030859



NEMO
— 9030862

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
424Lm · 3000K
IP65
—
D: 11
H: 40 cm



MOOD
— 9030860

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
402Lm · 3000K
IP65
—
D: 11
H: 40 cm



MOOD
— 9030949

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
100-240 Vac
402Lm · 3000K
IP65
**Included plastic
spike (+21cm)**
—
D: 11
H: 20 cm



MOOD
— 9030949



TOWER
— 9030824




TOWER
— 9030825



TOWER
— 9030826




NITRO
— 9030748



NITRO
— 9030749



NITRO
— 9030750



TOWER
— 9030824

Sandy Black Acrylic & Polycarbonate Diffuser
LED · 8 Watt
220-240 Vac
714Lm · 3000K
IP65
—
D: 16.5
W: 5.8



TOWER
— 9030825

Sandy White Acrylic & Polycarbonate Diffuser
LED · 8 Watt
220-240 Vac
714Lm · 3000K
IP65
—
D: 16.5
W: 5.8



TOWER
— 9030826

Sandy Black Acrylic & Polycarbonate Diffuser
LED · 8 Watt
220-240 Vac
714Lm · 3000K
IP65
—
D: 16
H: 52 cm



NITRO
— 9030748

Sandy Black Aluminium & Glass
LED · 12 Watt
220-240 Vac
469Lm · 3000K
IP65
—
D: 15
W: 3.5 cm




NITRO
— 9030749

Sandy Black Aluminium & Glass
LED · 12 Watt
220-240 Vac
469Lm · 3000K
IP65
—
D: 15
H: 23.7 cm



NITRO
— 9030750

Sandy Black Aluminium & Glass
LED · 12 Watt
220-240 Vac
469Lm · 3000K
IP65
—
D: 15
H: 43.7 cm



SUITE
— 859439




SUITE
— 9297191




SUITE
— 859438



SUITE
— 9207167



SUITE
— 9207168



SUITE
— 859439

Sandy White
Aluminium
& Acrylic
LED · 10 Watt
100-240 Vac
485Lm · 3000K
IP54

—
D: 15
W: 5 cm



SUITE
— 9297191

Dark Anthracite
Aluminium
& Acrylic
LED · 10 Watt
100-240 Vac
485Lm · 3000K
IP54

—
D: 15
W: 5 cm



SUITE
— 859438

Dark Gray
Aluminium
& Acrylic
LED · 10 Watt
100-240 Vac
485Lm · 3000K
IP54

—
D: 15
W: 5 cm



SUITE
— 9207167

Dark Gray
Aluminium
& Acrylic
LED · 12 Watt
110-265 Vac
480Lm · 3000K
IP54

—
D: 18
H: 60 cm



SUITE
— 9207168

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
480Lm · 3000K
IP54

—
D: 18
H: 60 cm




STONE
— 9002850



12
23

STONE
— 9002851



STONE
— 9002860



12
65

STONE
— 9002850

Sandy White
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 12
W: 15
H: 23 cm



STONE
— 9002851

Dark Anthracite
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 12
W: 15
H: 23 cm



STONE
— 9002860

Dark Anthracite
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 12
H: 65 cm





MAX
— 9026002

Dark Gray ABS
Clear & White
Acrylic
LED · 12 Watt
200-240 Vac
1307Lm · 3000K
IP65

—
D: 16
W: 10 cm



MAX
— 9026001

Dark Gray ABS
Clear & White
Acrylic
LED · 12 Watt
200-240 Vac
1307Lm · 3000K
IP65

—
L: 16
W: 10
H: 16 cm



AGOSTO
— 9207615

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 6 Watt
100-240 Vac
420Lm · 3000K
IP54

—
D: 11
W: 11 cm



AGOSTO
— 9207616

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 6 Watt
100-240 Vac
420Lm · 3000K
IP54

—
L: 11
W: 11
H: 11 cm



AGOSTO
— 9277151

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 6 Watt
100-240 Vac
420Lm · 3000K
IP54

—
D: 11
W: 50 cm





ADURO
— 9002871

Dark Anthracite
Aluminium
& Frost Acrylic
LED · 8 Watt
200-240 Vac
460Lm · 3000K
IP54
—
D: 7.5
W: 11.7
H: 35 cm



ADURO
— 9002872

Dark Anthracite
Aluminium
& Frost Acrylic
LED · 8 Watt
200-240 Vac
460Lm · 3000K
IP54
—
D: 7.5
W: 11.7
H: 65 cm



TIEN
— 9002878

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
200-240 Vac
470Lm · 3000K
IP54
Beam angle 55°
—
D: 9
H: 25 cm



TIEN
— 9002879

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
200-240 Vac
470Lm · 3000K
IP54
Beam angle 55°
—
D: 9
H: 65 cm




TALA
— 9026122


Sandy Black
Aluminium
& Glass
LED · 9 Watt
100-240 Vac
630Lm · 3000K
IP54
—
D: 9
H: 65 cm



ADURO
— 9002871



ADURO
— 9002872



TIEN
— 9002878



TIEN
— 9002879



TALA
— 9026122





MADDI
— 9030903

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
235Lm · 3000K
IP65

—
L: 8.5
W: 7.5
H: 30 cm



MADDI
— 9030904

Corten
Aluminium
LED · 7 Watt
220-240 Vac
235Lm · 3000K
IP65

—
L: 8.5
W: 7.5
H: 30 cm



MADDI
— 9030905

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
235Lm · 3000K
IP65

—
L: 8.5
W: 7.5
H: 60 cm



MADDI
— 9030906

Corten
Aluminium
LED · 7 Watt
220-240 Vac
235Lm · 3000K
IP65

—
L: 8.5
W: 7.5
H: 60 cm



MADDI
— 9030903



MADDI
— 9030904



MADDI
— 9030905



MADDI
— 9030906





TALL
— 9030802

Sandy Black
Aluminium
& Glass Diffuser
LED · 9 Watt
220-240 Vac
562Lm · 3000K
IP54

Light up & down

L: 12.5
W: 4
H: 13.5 cm



TALL
— 9030863

Sandy White
Aluminium
& Glass Diffuser
LED · 9 Watt
220-240 Vac
562Lm · 3000K
IP54

Light up & down

L: 12.5
W: 4
H: 13.5 cm



TALL
— 9030803

Sandy Black
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
388Lm · 3000K
IP54

Light down

L: 12.5
W: 4
H: 13.5 cm



TALL
— 9030864

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
388Lm · 3000K
IP54

Light down

L: 12.5
W: 4
H: 13.5 cm



TALL
— 9030804

Sandy Black
Aluminium
& Glass Diffuser
LED · 4 Watt
220-240 Vac
131Lm · 3000K
IP54

Light down


L: 12.5
W: 4
H: 30 cm



TALL
— 9030802



TALL
— 9030863




TALL
— 9030803



TALL
— 9030864



TALL
— 9030804



MINIMAL

— 9176111

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
369Lm · 3000K
IP65

L: 16.3
W: 5.7
H: 30 cm



MINIMAL


— 9176112

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
369Lm · 3000K
IP65

L: 16.3
W: 5.7
H: 65 cm



MINIMAL
— 9176111



MINIMAL
— 9176112



PORTAL

— 9002840

Dark Anthracite
Aluminium
& Acrylic
LED · 14 Watt
220-240 Vac
890Lm · 3000K
IP54

L: 17.8
W: 6.9
H: 30 cm



PORTAL

— 9002841

Dark Anthracite
Aluminium
& Acrylic
LED · 14 Watt
220-240 Vac
890Lm · 3000K
IP54



L: 17.8
W: 6.9
H: 65 cm



PORTAL
— 9002840



PORTAL
— 9002841





ELLERY
— 9100916

Sandy Black
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
372Lm · 3000K
IP65
—
D: 8
H: 36 cm



ELLERY
— 9100917

Sandy Black
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
372Lm · 3000K
IP65
—
D: 8
H: 60 cm



ELLERY
— 9100918

Sandy Black
Aluminium
& Acrylic
LED · 12 Watt
100-240 Vac
372Lm · 3000K
IP65
—
D: 8
H: 80 cm



ELLERY
— 9100916



ELLERY
— 9100917



ELLERY
— 9100918






ZELDA
— 9020926

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 9 Watt
220-240 Vac
571Lm · 3000K
IP65
—
L: 12
W: 9.4
H: 15 cm




ZELDA
— 9020923

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 9 Watt
100-240 Vac
571Lm · 3000K
IP65
—
L: 12
W: 9.4
H: 40 cm



ZELDA
— 9020924

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 9 Watt
100-240 Vac
571Lm · 3000K
IP65
—
L: 12
W: 9.4
H: 80 cm



ZELDA
— 9020926



ZELDA
— 9020923



ZELDA
— 9020924



ZELDA
— 9020925

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
335Lm · 3000K
IP65
—
L: 12
W: 7.2
H: 15 cm



ZELDA
— 9020921

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
335Lm · 3000K
IP65
—
L: 12
W: 7.2
H: 40 cm



ZELDA
— 9020922

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
335Lm · 3000K
IP65
—
L: 12
W: 7.2
H: 80 cm



ZELDA
— 9020925



ZELDA
— 9020921




ZELDA
— 9020922





BRIGITTA
— 9020928




BRIGITTA
— 9020930



BRIGITTA
— 9020929



BRIGITTA
— 9020931




BRIGITTA
— 9020928

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
515Lm · 3000K
IP65
—
L: 12
W: 8.3
H: 20.8 cm




BRIGITTA
— 9020930

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
515Lm · 3000K
IP65
—
L: 12
W: 15.5
H: 40 cm



BRIGITTA
— 9020929

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
515Lm · 3000K
IP65
—
L: 12
W: 13.7
H: 60 cm




BRIGITTA
— 9020931

Sandy Black
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · 6 Watt
100-240 Vac
515Lm · 3000K
IP65
—
L: 12
W: 15.5
H: 80 cm






BLISS
— 819502




NED
— 9104021



BLISS
— 819503



NED
— 9104022



BLISS
— 819502

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
560Lm · 3000K
IP54
—
L: 15
W: 6
H: 16 cm



NED
— 9104021

Dark Gray
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
532Lm · 3000K
IP54
Light up & down
—
L: 22
W: 13.1
H: 5.5 cm




BLISS
— 819503

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
708Lm · 3000K
IP54
—
L: 15
W: 6
H: 50 cm



NED
— 9104022

Dark Gray
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
708Lm · 3000K
IP54
—
L: 15
W: 6
H: 50 cm



VOLVEL
— 9195062

Sandy Black
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
719Lm · 3000K
IP54

L: 20
W: 6
H: 11 cm



VOLVEL
— 9195062



VOLVEL
— 9195061

Sandy Black
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
719Lm · 3000K
IP54

L: 20
W: 6
H: 80 cm



VOLVEL
— 9195061



TWIN
— 713122

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 2x5 Watt
220-240 Vac
476Lm · 3000K
IP54

Light up & down

L: 20
W: 10
H: 10 cm



TWIN
— 713122



TWIN
— 713121

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 2x5 Watt
220-240 Vac
476Lm · 3000K
IP54

L: 20
W: 10
H: 60 cm



TWIN
— 713121




FARGE
— 9971476



FARGE
— 9971477



FARGE
— 9971478



FARGE
— 9971476

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
220-240 Vac
703Lm · 3000K
IP65

With motion sensor

—
L: 10
W: 16.5
H: 22 cm



FARGE
— 9971477

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
220-240 Vac
703Lm · 3000K
IP65


—
L: 10
W: 16.5
H: 22 cm



FARGE
— 9971478

Dark Anthracite
Aluminium
& Acrylic
LED · 12 Watt
220-240 Vac
703Lm · 3000K
IP65

—
L: 16.5
W: 10
H: 76 cm





PARK
— 711024

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 6 Watt
220-240 Vac
522Lm · 3000K
IP54
—
L: 9
W: 14.5
H: 18 cm



PARK
— 713123



Dark Gray
Aluminium
& Acrylic Diffuser
LED · 6 Watt
220-240 Vac
522Lm · 3000K
IP54
—
L: 12.5
W: 12
H: 80 cm



PARK
— 713124

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 2x6 Watt
220-240 Vac
1044Lm · 3000K
IP54
—
L: 12.5
W: 22
H: 80 cm





POSEN
— 9131201

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 10 Watt
200-240 Vac
873Lm · 3000K
IP65
—
L: 18
W: 19
H: 5 cm



POSEN
— 9131202

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 10 Watt
200-240 Vac
873Lm · 3000K
IP65
—
L: 18
W: 19
H: 65 cm



ENZI
— 9936101

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 15 Watt
100-240 Vac
1630Lm · 3000K
IP54
—
L: 18
W: 19
H: 7 cm



ENZI
— 9936102

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 15 Watt
100-240 Vac
1630Lm · 3000K
IP54
—
L: 18
W: 19
H: 80 cm



ACQUA
— 713312




ACQUA
— 713313



APOLLO
— 713411



APOLLO
— 713311



ACQUA
— 713312

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 5 Watt
110-265 Vac
490Lm · 3000K
IP54

—
L: 12
W: 18
H: 5 cm



ACQUA
— 713313

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 5 Watt
110-265 Vac
490Lm · 3000K
IP54

—
L: 12
W: 5
H: 80 cm



APOLLO
— 713411

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 5 Watt
110-265 Vac
522Lm · 3000K
IP54

—
L: 9
W: 15
H: 4.5 cm



APOLLO
— 713311

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 5 Watt
110-265 Vac
522Lm · 3000K
IP54

—
L: 9
W: 15
H: 80 cm





PYRO
— 9209211

Dark Gray
Aluminium
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 10
W: 13
H: 21 cm



PYRO
— 9209211



PYRO
— 9209212

Dark Gray
Aluminium
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 10
H: 60 cm



PYRO
— 9209212







STICK
— 713412



STICK
— 71371102



STICK
— 71371101



STICK
— 713412

Dark Gray
Aluminium
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

L: 7.6
W: 11
H: 17 cm



STICK
— 71371102

Dark Gray
Aluminium
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

L: 7.6
W: 7.6
H: 25 cm




STICK
— 71371101

Dark Gray
Aluminium
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

L: 7.6
W: 7.6
H: 80 cm





FERRON
— 9060184

Dark Gray
Aluminum
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 13
W: 13
H: 50 cm



FERRON
— 9060185

Dark Gray
Aluminum
& White Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 13
W: 13
H: 80 cm



LOCK
— 813101

Dark Gray
Aluminium
Clear & White
Acrylic
LED · 12 Watt
220-240 Vac
1047Lm · 3000K
IP54

L: 13.5
W: 16
H: 20 cm



LOCK
— 813101



LOCK
— 813104

Dark Gray
Aluminium
Clear & White
Acrylic
LED · 12 Watt
220-240 Vac
1047Lm · 3000K
IP54

L: 13.5
W: 13.5
H: 50 cm



LOCK
— 813104



PEC
— 9136420


Sandy Black
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
223Lm · 3000K
IP65

Beam angle 21°

—
D: 16
H: 70 cm



PEC
— 9136420



PEC
— 9136421



Sandy Black
Aluminium
& Glass
LED · 13 Watt
220-240 Vac
520Lm · 3000K
IP65


Beam angle 24°

—
D: 16
H: 90 cm



PEC
— 9136421





RAMO
— 9291701



CAPO
— 9060199



RAMO
— 9291702



RAMO
— 9291703



RAMO
— 9291701

Dark Gray
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 8
W: 20
H: 14.6 cm



CAPO
— 9060199

Sandy Black
Aluminium
& Frost Glass
Diffuser
LED · 3 Watt
220-240 Vac
184Lm · 3000K
IP65
—
D: 7
W: 6.4
H: 10.5 cm



RAMO
— 9291702

Dark Gray
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 8
W: 14.6
H: 60 cm



RAMO
— 9291703

Dark Gray
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 8
W: 21
H: 60 cm



FEND
— 9971451

Dark Anthracite
Aluminium
& Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65
Beam angle 21°
—
D: 5
W: 7
H: 12 cm




FEND
— 9971452

Dark Anthracite
Aluminium
& Glass
LED · 10 Watt
100-240 Vac
742Lm · 3000K
IP65
Beam angle 21°
—
D: 6.5
W: 9
H: 15 cm



FEND
— 9271431

Dark Anthracite
Aluminium
& Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65
Beam angle 21°
—
D: 5
W: 7
H: 12 cm



FEND
— 9271491

Dark Anthracite
Aluminium
& Glass
LED · 10 Watt
100-240 Vac
742Lm · 3000K
IP65
Beam angle 24°
—
D: 6.5
W: 9
H: 15 cm



FEND
— 9271433

Dark Anthracite
Aluminium
& Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65
Beam angle 21°
—
D: 5
W: 9
H: 64 cm





FOCUS
— 9207912



FOCUS
— 9279111



FOCUS
— 9279112



FOCUS
— 9207912

Dark Anthracite
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 6.8
W: 11.5
H: 9.5 cm



FOCUS
— 9279111

Dark Anthracite
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 6.8
W: 13.8
H: 27 cm



FOCUS
— 9279112

Dark Anthracite
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 6.8
W: 13.8
H: 55 cm



SPY

— 9030154

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · GU10 · 1x10 Watt
100-240 Vac · IP65

BULB EXCLUDED

—
D: 7
W: 8
H: 15.5 cm



SPY

— 9030155

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · GU10 · 1x10 Watt
100-240 Vac · IP65

Included plastic spike (+21 cm)

BULB EXCLUDED

—
D: 7
W: 14
H: 19 cm



SPY

— 9030156

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · GU10 · 1x10 Watt
100-240 Vac · IP65

Included plastic spike (+21 cm)

BULB EXCLUDED

—
L: 7.5
W: 14
H: 50 cm



SPY

— 9030157

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · GU10 · 1x10 Watt
100-240 Vac · IP65

BULB EXCLUDED

—
L: 7.5
W: 14
H: 100 cm




SPY — 9030154




SPY — 9030155



SPY — 9030156




SPY — 9030157





SENTO
— 9050731
— 9050732




SENTO
— 9050733
— 9050734




Compatible with:
Multiple luminaires,
parallel 24Vdc connection:


- 9840106
Led Driver
75W · IP67 · 24Vdc
- 9840107
Led Driver
100W · IP67 · 24Vdc
- 9840108
Led Driver
150W · IP67 · 24Vdc
- 9840109
Led Driver
200W · IP67 · 24Vdc



SENTO
— 9030851



SENTO
— 9971465



SENTO
— 9050732 (2700K)
— 9050731 (3000K)

Dark Anthracite
Aluminium
& Polycarbonate
LED · 3 Watt
24 Vdc · IP65
2700K · 135Lm
3000K · 135Lm
Beam angle 45°
Included plastic spike (+16 cm)

D: 3.5
H: 5 cm



SENTO
— 9050734 (2700K)
— 9050733 (3000K)

Corten
Aluminium
& Polycarbonate
LED · 3 Watt
24 Vdc · IP65
2700K · 135Lm
3000K · 135Lm
Beam angle 45°
Included plastic spike (+16 cm)

D: 3.5
H: 5 cm




SENTO
— 9030851

Dark Anthracite
Aluminium
& Polycarbonate
LED · 3 Watt
100-240 Vac
135Lm · 3000K
IP65
Beam angle 45°
—
D: 6.5
W: 6
H: 50 cm



SENTO
— 9971465

Dark Anthracite
Aluminium
& Polycarbonate
LED · 6 Watt
220-240 Vac
270Lm · 3000K
IP65
Beam angle 45°
—
L: 26
H: 70 cm





AETHER
— 9030850

Dark Anthracite
Aluminium
& Smokey Glass
LED · 5 Watt
100-240 Vac
71Lm · 3000K
IP65

Included plastic
spike

W: 17
H: 51 cm



AETHER
— 9030850





AETHER
— 9030848

Dark Anthracite
Aluminium
& Smokey Glass
LED · 5 Watt
100-240 Vac
71Lm · 3000K
IP65

D: 12
W: 17
H: 60 cm



AETHER
— 9030848




AETHER
— 9030849

Dark Anthracite
Aluminium
& Smokey Glass
LED · 10 Watt
100-240 Vac
141Lm · 3000K
IP65

D: 15
W: 52
H: 80 cm



AETHER
— 9030849





DYOL
— 9923400

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
420Lm · 3000K
IP65

Beam angle 20°
Included plastic spike (+20.3 cm)

D: 12
H: 102 cm




DYOL
— 9923401

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
377Lm · 3000K
IP65

Included plastic spike (+20.3 cm)

D: 12
H: 63 cm






DARMA
— 9030115


Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
429Lm · 3000K
IP65

**Included plastic
spike (+21 cm)**

D: 11
H: 85 cm



DARMA
— 9030115



DARMA
— 9030116

DARMA
— 9030116


Corten Aluminium
LED · 7 Watt
220-240 Vac
429Lm · 3000K
IP65

**Included plastic
spike (+21 cm)**

D: 11
H: 85 cm



DARMA
— 9030117



DARMA
— 9030118

DARMA
— 9030117

Sandy Black
Aluminium
LED · 13 Watt
220-240 Vac
844Lm · 3000K
IP65

**Included plastic
spike (+21 cm)**

D: 10.5
H: 122 cm



DARMA
— 9030118

Corten Aluminium
LED · 13 Watt
220-240 Vac
844Lm · 3000K
IP65

**Included plastic
spike (+21 cm)**

D: 10.5
H: 122 cm



SLOT
— 9030909

Corten Aluminium
LED · 4 Watt
24Vdc · 195Lm
3000K · IP65
Included plastic spike (+20.3 cm)

D: 2.5
H: 100 cm



SLOT
— 9030908

Corten Aluminium
LED · 4 Watt
24Vdc · 195Lm
3000K · IP65
Included plastic spike (+20.3 cm)

D: 2.5
H: 80 cm



SLOT
— 9030907

Corten Aluminium
LED · 4 Watt
24Vdc · 195Lm
3000K · IP65
Included plastic spike (+20.3 cm)

D: 2.5
H: 60 cm



SLOT
— 9030909



SLOT
— 9030908



SLOT
— 9030907



Compatible with:
Multiple luminaires,
● parallel 24Vdc connection:

9840106
Led Driver
75W · IP67 · 24Vdc

9840107
Led Driver
100W · IP67 · 24Vdc

9840108
Led Driver
150W · IP67 · 24Vdc

9840109
Led Driver
200W · IP67 · 24Vdc





DESSAY
— 9923404

Sandy Black
Aluminium
LED · 11 Watt
220-240 Vac
1113Lm · 3000K
IP65
Included plastic spike (+20.3 cm)
—
D: 1.6
H: 98 cm




DESSAY
— 9923403

Sandy Black
Aluminium
LED · 11 Watt
220-240 Vac
1113Lm · 3000K
IP65
Included plastic spike (+20.3 cm)
—
D: 1.6
H: 82 cm



DESSAY
— 9923402

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
538Lm · 3000K
IP65
Included plastic spike (+20.3 cm)
—
D: 1.6
H: 58 cm



DESSAY
— 9923404



DESSAY
— 9923403



DESSAY
— 9923402



NAWA
— 9030720

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
666Lm · 3000K
IP65

Included plastic spike (+23 cm)

D: 15
H: 32 cm



NAWA
— 9030721

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
666Lm · 3000K
IP65

Included plastic spike (+23 cm)

D: 15
H: 60 cm



NAWA
— 9030722

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
666Lm · 3000K
IP65

Included plastic spike (+23 cm)

D: 15
H: 93 cm



NAWA
— 9030720



NAWA
— 9030721



NAWA
— 9030722





ARION
— 9030558

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 4 Watt
220-240 Vac
187Lm · 3000K
IP65

—
D: 11
H: 50 cm

LED IP65 WARM WHITE DIMMER INCL. ⚡






ARION
— 9030559

Corten Die-Casting
Aluminium & Frost
Polycarbonate
LED · 4 Watt
220-240 Vac
187Lm · 3000K
IP65

—
D: 11
H: 50 cm

LED IP65 WARM WHITE DIMMER INCL. ⚡



Compatible with:
PLASTIC SPIKE
— 9030560






PAUL
— 9176107



PAUL
— 9176106



PAUL
— 9176108



PAUL
— 9176109



PAUL
— 9176110



PAUL
— 9176107

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Vac
893Lm · 3000K
IP65

With motion sensor

—
D: 11,5
H: 28 cm



PAUL
— 9176106

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Vac
893Lm · 3000K
IP65

—
D: 8,5
H: 28 cm



PAUL
— 9176108

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Vac
685Lm · 3000K
IP65

With motion sensor
Included plastic spike (+20cm)

—
D: 9,5
H: 60 cm



PAUL
— 9176109

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Vac
685Lm · 3000K
IP65

Included plastic spike (+20cm)

—
D: 8
H: 60 cm



PAUL
— 9176110

Sandy Black
Aluminium
& White Acrylic
LED · 10 Watt
220-240 Vac
685Lm · 3000K
IP65

Included plastic spike (+20cm)

—
D: 8
H: 80 cm



DYN
— 9190101



LOVETO
— 9120621



LOVETO
— 9120622



DYN
— 9190101

[Dimmable]
Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 2 Watt
3.7 Volt · 199Lm
3000K · IP65
Solar Light
With motion sensor
Switch On/Off

L: 16
W: 11.5
H: 6 cm



LOVETO
— 9120621

[Dimmable]
Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 2 Watt
3.7 Volt · 90Lm
3000K · IP65
Solar Light
With motion sensor
Switch On/Off

L: 14.5
W: 16.2
H: 24 cm




LOVETO
— 9120622

[Dimmable]
Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 2 Watt
3.7 Volt · 136Lm
3000K · IP65
Solar Light
With motion sensor
Switch On/Off

L: 14.5
W: 14.5
H: 50 cm






MOON
— 9186714

White Fiber Resin,
Black Canopy
& Black Cable
LED · E14 · 1x5 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 30
H: 200 cm




MOON
— 9186713

MOON
— 9186713

White Fiber Resin,
Black Canopy
& Black Cable
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 40
H: 200 cm




MOON
— 9186712

MOON
— 9186712

White Fiber Resin,
Black Canopy
& Black Cable
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 50
H: 200 cm



MOON
— 9186715

White Fiber Resin
& White Base
LED · E27 · 1x12 Watt
100-240 Vac
IP65

Included plastic spike (+19 cm)
BULB EXCLUDED

D: 50
H: 50 cm



MOON
— 9186715



MOON
— 9186716



MOON
— 9186716

White Fiber Resin
& White Base
LED · E27 · 1x12 Watt
100-240 Vac
IP65

Included plastic spike (+19 cm)
BULB EXCLUDED

D: 40
H: 40 cm



MOON
— 9186717



MOON
— 9186718



MOON
— 9186717

White Fiber Resin
& White Base
LED · E14 · 1x5 Watt
100-240 Vac
IP65

Included plastic spike (+19 cm)
BULB EXCLUDED

D: 30
H: 30 cm



MOON
— 9186718

White Fiber Resin
& White Base
LED · E14 · 1x5 Watt
100-240 Vac
IP65

Included plastic spike (+19 cm)
BULB EXCLUDED

D: 25
H: 25 cm







COSMIC
— 9030589

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
407Lm · 3000K
IP65

—
L: 23
W: 8.6
H: 20 cm



COSMIC
— 9030592

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
255Lm · 3000K
IP65


—
L: 8.6
W: 12.5
H: 23 cm



COSMIC
— 9030590

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
489Lm · 3000K
IP65

—
L: 23
W: 8.6
H: 50 cm



COSMIC
— 9030591

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
489Lm · 3000K
IP65

—
L: 23
W: 8.6
H: 75 cm




COSMIC
— 9030589




COSMIC
— 9030592



COSMIC
— 9030590



COSMIC
— 9030591








BERNI
— 9030565



BERNI
— 9030566



BERNI
— 9030567



BERNI
— 9030565

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 88Lm
3000K · IP65
Solar light
With motion sensor
—
L: 23
W: 8.6
H: 15.5 cm



BERNI
— 9030566

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 108Lm
3000K · IP65
Solar light
With motion sensor
—
L: 23
W: 8.6
H: 50 cm



BERNI
— 9030567

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 108Lm
3000K · IP65
Solar light
With motion sensor
—
L: 23
W: 8.6
H: 70 cm





MISTI
— 9030568

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
271Lm · 3000K
IP65

—
L: 18
W: 13
H: 18 cm



MISTI
— 9030569

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
359Lm · 3000K
IP65

—
L: 18
W: 18
H: 50 cm



AKMI
— 9030570

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
244Lm · 3000K
IP65

—
L: 15
W: 12.5
H: 26 cm



AKMI
— 9030571

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
344Lm · 3000K
IP65



—
L: 26
W: 15
H: 50 cm



MISTI
— 9030568





MISTI
— 9030569



AKMI
— 9030570



AKMI
— 9030571





PAX
— 9756800

Dark Anthracite
Aluminium
LED · 9 Watt
100-240 Vac
715Lm · 3000K
IP54


—
L: 13.5
W: 12
H: 80 cm



PAX
— 9756600

Dark Anthracite
Aluminium
LED · 9 Watt
100-240 Vac
715Lm · 3000K
IP54

—
L: 13.5
W: 12
H: 50 cm





OPTUS
— 9030162

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
459Lm · 3000K
IP65
—
D: 20.5
H: 28 cm



OPTUS
— 9030162





OPTUS
— 9030163

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
459Lm · 3000K
IP65
—
D: 20.5
H: 80 cm



OPTUS
— 9030163



SURF
— 9176102




SURF
— 9176101

Dark Anthracite
Die-Casting
Aluminium
LED · 8 Watt
200-240 Vac
440Lm · 3000K
IP65
—
L: 18
W: 18
H: 23 cm



SURF
— 9176102

Dark Anthracite
Die-Casting
Aluminium
LED · 8 Watt
200-240 Vac
440Lm · 3000K
IP65
—
L: 18
W: 18
H: 80 cm






SOLAR LIGHT
MOTION SENSOR



AIGO
— 9030580




AIGO
— 9030582




AIGO
— 9030581




NEREUS
— 9030588



NEREUS
— 9030587



NEREUS
— 9030586



AIGO
— 9030580

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 145Lm
3000K · IP65
Solar Light
With motion sensor



AIGO
— 9030582

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 89Lm
3000K · IP65
Solar Light
With motion sensor



AIGO
— 9030581

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 89Lm
3000K · IP65
Solar Light
With motion sensor



NEREUS
— 9030586

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
428Lm · 3000K
IP65



NEREUS
— 9030587

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
428Lm · 3000K
IP65



NEREUS
— 9030588

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
428Lm · 3000K
IP65



ELYSIUM
— 9030152

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

D: 16
H: 35 cm



ELYSIUM
— 9030152



ELYSIUM
— 9030153



ELYSIUM
— 9030153

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

D: 16
H: 50 cm



ELYSIUM
— 9030628



ELYSIUM
— 9030629



ELYSIUM
— 9030628

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

D: 16
H: 35 cm



ELYSIUM
— 9030629

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

D: 16
H: 50 cm





STARK
— 9492660

Dark Anthracite
Die-Casting
Aluminium
& Frost Acrylic
LED · 8 Watt
220-240 Vac
116Lm · 3000K
IP65

—
D: 16
H: 14.6 cm



DEVORA
— 826423

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · 8 Watt
220-240 Vac
383Lm · 3000K
IP54

—
D: 11
H: 22 cm



DEVORA
— 822642

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · 8 Watt
220-240 Vac
383Lm · 3000K
IP54

—
D: 11
H: 65 cm



STARK
— 9492660



14.6
16

DEVORA
— 826423



22

DEVORA
— 822642



65





PRIVE
— 9030754

Sandy Black
Aluminium
& Glass
LED · 15 Watt
220-240 Vac
155Lm · 3000K
IP65
—
L: 25
W: 25
H: 26 cm

PRIVE
— 9030754




PRIVE
— 9030755

Sandy Black
Aluminium
& Glass
LED · 15 Watt
220-240 Vac
155Lm · 3000K
IP65
—
L: 35
W: 35
H: 36 cm

PRIVE
— 9030755





OPU
— 9136448

Dark Anthracite
Aluminium
& Polycarbonate
LED · 15 Watt
220-240 Vac
1017Lm · 3000K
IP65

L: 24
W: 24
H: 26 cm



OPU
— 9136449

Dark Anthracite
Aluminium
& Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED
—
L: 24
W: 24
H: 26 cm



OPU
— 9136448



OPU
— 9136449



CUPPA
— 9136464

Dark Anthracite
Aluminium
& Glass
LED · 2 Watt
5 Vdc · 186Lm
3000K · IP54
Solar light
With motion sensor

L: 24.4
W: 24.4
H: 23.9 cm



CUPPA
— 9136464



WORKING TIME		Charge: 6 hrs
100% of light	15% of light	
8 Hrs	54 Hrs	

! Automatically Light up at 15% of light at night and will switch to 100% of the light when someone pass by





ZEST
— 870026

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

L: 18
W: 17
H: 28 cm



ZEST
— 870045

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

L: 20
W: 20
H: 29 cm



LOEVE
— 9193101

Dark Anthracite
Die-Casting
Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 14.5
W: 21.5
H: 27.6 cm



LOEVE
— 9193102

Dark Anthracite
Die-Casting
Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 14.5
W: 14.5
H: 22 cm



ZEST
— 870026




ZEST
— 870045



LOEVE
— 9193101



LOEVE
— 9193102





ADORAY
— 9030579

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED

L: 10
W: 14.2
H: 19.7 cm



ADORAY
— 9030579



FIGO

— 9492500

Dark Anthracite
Die-Casting
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED

L: 14.5
W: 20.5
H: 43 cm



FIGO
— 9492500



FIGO

— 9060192

Dark Anthracite
Aluminium & Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED

L: 11
W: 15
H: 24.5 cm



FIGO
— 9060192



FIGO

— 9060193

Dark Anthracite
Aluminium & Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED

L: 11
W: 11
H: 50 cm



FIGO
— 9060193





PACIFIC
— 9030601



PACIFIC
— 9030601

Dark Anthracite
Die-Casting
Aluminium
Natural Wood Color
Acrylic & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 14.5
W: 20.6
H: 27.6 cm



PACIFIC
— 9030605



PACIFIC
— 9030604

PACIFIC
— 9030605

Dark Anthracite
Die-Casting
Aluminium
Natural Wood Color
Acrylic & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 14.5
W: 14.5
H: 22 cm

PACIFIC
— 9030604

Dark Anthracite
Die-Casting
Aluminium
Natural Wood Color
Acrylic & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 14.5
W: 14.5
H: 50 cm



PACIFIC
— 9030602



PACIFIC
— 9030606



PACIFIC
— 9030603

PACIFIC
— 9030602

Dark Anthracite
Die-Casting
Aluminium
& Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 14.5
W: 20.6
H: 27.6 cm

PACIFIC
— 9030606

Dark Anthracite
Die-Casting
Aluminium
& Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 14.5
W: 14.5
H: 22 cm

PACIFIC
— 9030603

Dark Anthracite
Die-Casting
Aluminium
& Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 14.5
W: 14.5
H: 50 cm





CETERA
— 9002873



ZOSIA
— 9060181

CETERA
— 9002875

CETERA
— 9002874

ZOSIA
— 9060183

ZOSIA
— 9060182

CETERA
— 9002873

Dark Anthracite
Aluminium & Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 9
W: 14.1
H: 21 cm



CETERA
— 9002875

Dark Anthracite
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 9
H: 90 cm



CETERA
— 9002874

Dark Anthracite
Aluminium
& Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP54
BULB EXCLUDED
—
D: 9
H: 50 cm



ZOSIA
— 9060181

Dark Gray Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 9
W: 12
H: 25 cm



ZOSIA
— 9060183

Dark Gray Aluminium
& Clear Acrylic
Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 9
H: 80 cm



ZOSIA
— 9060182

Dark Gray
Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED
—
D: 9
H: 50 cm





SELENA
— 9492720

Dark Anthracite
Die-Casting
Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 9
W: 10.1
H: 17.1 cm



SELENA
— 9492720



SELENA
— 9492730

Dark Anthracite
Die-Casting
Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 9
H: 65 cm



SELENA
— 9492730



SELENA
— 9492740

Dark Anthracite
Die-Casting
Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
L: 8.5
W: 9.8
H: 16 cm



SELENA
— 9492740



SELENA
— 9492750

Dark Anthracite
Die-Casting
Aluminum
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
L: 8.5
W: 8.5
H: 65 cm




SELENA
— 9492750





OMIKA
— 9060197




OMIKA
— 9060194



OMIKA
— 9060195



OMIKA
— 9060196



OMIKA
— 9060197

Dark Gray Aluminum & Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 15
H: 88.5 cm



OMIKA
— 9060194

Dark Gray Aluminum & Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 15
W: 18.5
H: 28 cm



OMIKA
— 9060195

Dark Gray Aluminum & Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 15
H: 37 cm



OMIKA
— 9060196

Dark Gray Aluminum & Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 15
H: 97 cm



ISIDORA
— 870445

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 22
H: 95 cm



ISIDORA
— 870426

Sandy Black
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 25
W: 27
H: 40 cm



ISIDORA
— 870445




ISIDORA
— 870426



Cement

Our cement lighting fixtures bring a touch of industrial chic to any space, combining rugged durability with subtle elegance. Perfect for both modern and rustic spaces, these lights offer a raw, minimalist aesthetic that highlights their solid construction.

Our cement lights blend seamlessly with a variety of styles, adding character and sophistication to your environment.



NAVY
— 9540225

Gray Cement
LED · 20 Watt
220-240 Vac
1018Lm · 3000K
IP65

D: 19.2
H: 54.5 cm



NAVY
— 9540225



NAVY
— 9540226

Gray Cement
LED · 20 Watt
220-240 Vac
1018Lm · 3000K
IP65

D: 19.2
H: 99.5 cm



NAVY
— 9540226



LUA
— 9186184

Black Sandstone
Cement
LED · 12 Watt
220-240 Vac
629Lm · 3000K
IP65

—
D: 16
H: 22 cm



LUA
— 9186185

Black Sandstone
Cement
LED · 12 Watt
220-240 Vac
629Lm · 3000K
IP65

—
D: 16
H: 35.5 cm




LUA
— 9186186

Black Sandstone
Cement
LED · 12 Watt
220-240 Vac
629Lm · 3000K
IP65


—
D: 16
H: 55.5 cm




LUA
— 9186184



LUA
— 9186185



LUA
— 9186186






BARCO
— 9540207



BARCO
— 9540208



CAIRO
— 9540217



CAIRO
— 9540218



BARCO
— 9540207

Gray Cement
Glass Diffuser
LED · 6 Watt
120-230 Vac
450Lm · 3000K
IP65

—
L: 12
W: 12
H: 25 cm



BARCO
— 9540208

Gray Cement
Glass Diffuser
LED · 6 Watt
120-230 Vac
450Lm · 3000K
IP65

—
L: 12
W: 12
H: 60 cm



CAIRO
— 9540217

Gray Cement
Glass Diffuser
LED · 8 Watt
120-230 Vac
380Lm · 3000K
IP65

—
L: 28
W: 10
H: 35 cm



CAIRO
— 9540218

Gray Cement
Glass Diffuser
LED · 8 Watt
120-230 Vac
380Lm · 3000K
IP65

—
L: 28
W: 10
H: 65 cm




CRAM
— 9540241

Gray Sandstone
Cement
LED · 5 Watt
220-240 Vac
580Lm · 3000K
IP65

—
D: 11,5
H: 30 cm



CRAM
— 9540241



CRAM
— 9540271




CRAM
— 9540271

Sandy Sandstone
Cement
LED · 5 Watt
220-240 Vac
580Lm · 3000K
IP65

—
D: 11,5
H: 30 cm



CRAM
— 9540242



CRAM
— 9540272



CRAM
— 9540242

Gray Sandstone
Cement
LED · 5 Watt
220-240 Vac
580Lm · 3000K
IP65

—
D: 11,5
H: 50 cm



CRAM
— 9540272


White Sandstone
Cement
LED · 5 Watt
220-240 Vac
580Lm · 3000K
IP65

—
D: 11,5
H: 50 cm






TURA
— 9540237



TURA
— 9540268



TURA
— 9540238



TURA
— 9540269



TURA
— 9540237

Black Sandstone
Cement
LED · 7 Watt
220-240 Vac
840Lm · 3000K
IP65
—
D: 20
H: 35 cm



TURA
— 9540268

White Sandstone
Cement
LED · 7 Watt
220-240 Vac
840Lm · 3000K
IP65
—
D: 20
H: 35 cm



TURA
— 9540238

Black Sandstone
Cement
LED · 7 Watt
220-240 Vac
840Lm · 3000K
IP65
—
D: 20
H: 55 cm



TURA
— 9540269

White Sandstone
Cement
LED · 7 Watt
220-240 Vac
840Lm · 3000K
IP65
—
D: 20
H: 55 cm





BEV
— 9540214



BEV
— 9540215



BEV
— 9540216



BEV
— 9540214

Gray Cement
& Glass Diffuser
LED · 5 Watt
120-230 Vac
200Lm · 3000K
IP65

—
L: 17
W: 17
H: 20 cm

LED IP65 WARM WHITE DRIVER INCL. ⊕

BEV
— 9540215

Gray Cement
& Glass Diffuser
LED · 5 Watt
120-230 Vac
200Lm · 3000K
IP65

—
L: 20
W: 20
H: 35 cm

LED IP65 WARM WHITE DRIVER INCL. ⊕

BEV
— 9540216

Gray Cement
& Glass Diffuser
LED · 5 Watt
120-230 Vac
200Lm · 3000K
IP65

—
L: 20
W: 20
H: 70 cm

LED IP65 WARM WHITE DRIVER INCL. ⊕

STAGE
— 9186707

Gray Cement
LED · 6 Watt
220-240 Vac
279Lm · 3000K
IP65

L: 15
W: 15
H: 35 cm



STAGE
— 9186708

Gray Cement
LED · 6 Watt
220-240 Vac
279Lm · 3000K
IP65

L: 15
W: 15
H: 70 cm



NODINO
— 9186705

Gray Cement
LED · 6 Watt
220-240 Vac
197Lm · 3000K
IP65

D: 18
H: 50 cm




NODINO
— 9186706

Gray Cement
LED · 6 Watt
220-240 Vac
197Lm · 3000K
IP65


D: 18
H: 75 cm



STAGE
— 9186707



STAGE
— 9186708



NODINO
— 9186705



NODINO
— 9186706





ARAN
— 9540213

Gray Cement
& Glass Diffuser
LED · 8 Watt
120-230 Vac
380Lm · 3000K
IP65

—
L: 16
W: 15
H: 50 cm



ARAN
— 9540211

Gray Cement
& Glass Diffuser
LED · 2x5 Watt
120-230 Vac
850Lm · 3000K
IP65

—
L: 13
W: 14.5
H: 70 cm



ARAN
— 9540211



ARAN
— 9540212



ARAN
— 9540212

Gray Cement
& Glass Diffuser
LED · 5 Watt
120-230 Vac
200Lm · 3000K
IP65

—
L: 15
W: 14
H: 70 cm




GRANTE
— 9790021

Gray Sandstone
Cement
& Aluminium
LED · 6 Watt
220-240 Vac
365Lm · 3000K
IP65

—
L: 12
W: 12
H: 53 cm




ARAN
— 9540213



GRANTE
— 9790021



GRANTE
— 9790022



GRANTE
— 9790022

Black Sandstone
Cement
& Aluminium
LED · GU10 · 2x10 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
L: 20
W: 12
H: 60 cm





CASTRO
— 9762161

Black Sandstone
Cement & Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED

L: 16
W: 16
H: 16 cm



CASTRO
— 9762161



CASTRO
— 9762162



CASTRO
— 9762162

White Sandstone
Cement & Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED

L: 16
W: 16
H: 16 cm



CASTRO
— 9739351



CASTRO
— 9739352



CASTRO
— 9739351

Black Sandstone
Cement & Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED

D: 20
W: 20
H: 35 cm



CASTRO
— 9739352

White Sandstone
Cement & Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65
BULB EXCLUDED

D: 20
W: 20
H: 35 cm




LUNA

— 9540234

Black Sandstone
Cement
LED · 10 Watt
220-240 Vac
536Lm · 3000K
IP65

L: 30
W: 4.5 cm
H: 10




LUNA

— 9540235

Black Sandstone
Cement
LED · 11 Watt
220-240 Vac
644Lm · 3000K
IP65

L: 40
W: 4.5 cm
H: 10



LUNA

— 9540236

Black Sandstone
Cement
LED · 19 Watt
220-240 Vac
1191Lm · 3000K
IP65

L: 60
W: 4.5 cm
H: 10




LITA

— 9540239

Black Sandstone
Cement
LED · 6 Watt
220-240 Vac
660Lm · 3000K
IP65

L: 20
W: 12
H: 9 cm



LITA

— 9540240

White Sandstone
Cement
LED · 6 Watt
220-240 Vac
660Lm · 3000K
IP65

L: 20
W: 12
H: 9 cm





LIDO
— 9790532



LIDO
— 9790531



LIDO
— 9790522



LIDO
— 9790521



EMILE
— 9540209



FUENTO
— 9790542




FUENTO
— 9790541



FUENTO
— 9790552



FUENTO
— 9790551



LIDO
— 9790532

Gray Cement
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED
Light down
—
L: 8.6
W: 10
H: 12 cm



LIDO
— 9790531

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED
Light down
—
L: 8.6
W: 10
H: 12 cm



LIDO
— 9790522

Gray Cement
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65

BULB EXCLUDED
Light up & down
—
L: 8.6
W: 10
H: 18 cm



LIDO
— 9790521

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65

BULB EXCLUDED
Light up & down
—
L: 8.6
W: 10
H: 18 cm



EMILE
— 9540209

Gray Sandstone
Cement & Glass
Diffuser
LED · 5 Watt
100-240 Vac
200Lm · 3000K

BULB EXCLUDED
Light down
—
L: 9
W: 9.7
H: 11.2 cm



FUENTO
— 9790542

Gray Cement
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED
Light down
—
L: 8.6
W: 10
H: 12 cm



FUENTO
— 9790541

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED
Light down
—
L: 8.6
W: 10
H: 12 cm



FUENTO
— 9790552

Gray Cement
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65

BULB EXCLUDED
Light up & down
—
L: 8.6
W: 10
H: 18 cm



FUENTO
— 9790551

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65

BULB EXCLUDED
Light up & down
—
L: 8.6
W: 10
H: 18 cm



RITZ
— 9540227

Gray Sandstone
Cement
LED · 10 Watt
220-240 Vac
1044Lm · 3000K
IP65


—
D: 10.2
H: 12 cm



RITZ
— 9540228

Gray Sandstone
Cement
LED · 10 Watt
220-240 Vac
1021Lm · 3000K
IP65

—
L: 10.2
W: 10.2
H: 12 cm



PAR
— 9186180

White Sandstone
Cement
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED
—
D: 9
H: 13.5 cm



PAR
— 9186181

Black Sandstone
Cement
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED
—
D: 9
H: 13.5 cm




EMILE
— 9540210

Gray Cement
& Glass Diffuser
LED · 5 Watt
120-230 Vac
200Lm · 3000K
IP65

—
D: 9
H: 11.2 cm



PETRA
— 9186182



PETRA
— 9186183



PETRA
— 9186182

White Cement
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
L: 20
W: 14
H: 12 cm



PETRA
— 9186183


Gray Cement
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
L: 20
W: 14
H: 12 cm



MINOR
— 9186704



MINOR
— 9186704

Gray Cement
LED · G9 · 1x5 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 15
H: 13.5 cm



Wall

Our outdoor wall lights add a welcoming touch to exterior areas, complementing both natural and architectural elements. They offer a mix of practical illumination and elegant design, perfect for brightening up entryways, walkways and balconies

COPPER
— 9923411

Sandy White
Aluminium
LED · 7 Watt
220-240 Vac
467Lm · 3000K
IP65

—
D: 13.5
W: 4 cm



COPPER
— 9923411



COPPER
— 9923412



COPPER
— 9923412

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
467Lm · 3000K
IP65

—
D: 13.5
W: 4 cm



COPPER
— 9923413

Sandy White
Aluminium
LED · 9 Watt
220-240 Vac
476Lm · 3000K
IP65

—
D: 18
W: 4 cm



COPPER
— 9923413



COPPER
— 9923414



COPPER
— 9923414

Sandy Black
Aluminium
LED · 9 Watt
220-240 Vac
476Lm · 3000K
IP65

—
D: 18
W: 4 cm



COPPER
— 9923415

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
948Lm · 3000K
IP65

—
D: 24
W: 5.6 cm



COPPER
— 9923415



COPPER
— 9923416



COPPER
— 9923416

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
948Lm · 3000K
IP65

—
D: 24
W: 5.6 cm




COPPER
— 9923417

Sandy White
Aluminium
LED · 16 Watt
220-240 Vac
1046Lm · 3000K
IP65

—
D: 30
W: 7.1 cm



COPPER
— 9923417



COPPER
— 9923418



COPPER
— 9923418

Sandy Black
Aluminium
LED · 16 Watt
220-240 Vac
1046Lm · 3000K
IP65

—
D: 30
W: 7.1 cm



CICO
— 9136446

Sandy Black
Aluminium
& Polycarbonate
LED · 12 Watt
220-240 Vac
587Lm · 3000K
IP65
—
D: 24
W: 4.8 cm




CICO
— 9136446



CICO
— 9136447

Sandy White
Aluminium
& Polycarbonate
LED · 12 Watt
220-240 Vac
587Lm · 3000K
IP65
—
D: 24
W: 4.8 cm



CICO
— 9136447





ALUX
— 9136406

Sandy Black
Aluminium
& Polycarbonate
LED · 11 Watt
220-240 Vac
993Lm · 3000K
IP54

—
D: 16
W: 11.5 cm



ALUX
— 9136406



ALUX
— 9136407



ALUX
— 9136408



ALUX
— 9136407

Sandy White
Aluminium
& Polycarbonate
LED · 11 Watt
220-240 Vac
993Lm · 3000K
IP54

—
D: 16
W: 11.5 cm



ALUX
— 9136408

Corten
Aluminium
& Polycarbonate
LED · 11 Watt
220-240 Vac
993Lm · 3000K
IP54

—
D: 16
W: 11.5 cm







MOBY
— 9030900



MOBY
— 9030901



MOBY
— 9030902



MOBY
— 9030900

Sandy Black
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Vac
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm



MOBY
— 9030901


Sandy White
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Vac
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm



MOBY
— 9030902

Corten
Aluminium
& Stainless Steel
LED · 20 Watt
220-240 Vac
1545Lm · 3000K
IP65
—
L: 16
W: 9
H: 40 cm





PRIVE
— 9030751

Sandy Black
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
284Lm · 3000K
IP65
—
L: 10
W: 12
H: 13 cm




PRIVE
— 9030752

Sandy Black
Aluminium
& Glass
LED · 14 Watt
220-240 Vac
383Lm · 3000K
IP65
—
L: 12
W: 14
H: 19 cm



PRIVE
— 9030753

Sandy Black
Aluminium
& Glass
LED · 17 Watt
220-240 Vac
509Lm · 3000K
IP65
—
L: 17
W: 17
H: 25 cm




PRIVE
— 9030751



PRIVE
— 9030752



PRIVE
— 9030753





SORREN
— 9197701



REGINA
— 9492442



SORREN
— 9197702



REGINA
— 9492760



REGINA
— 9492710



SORREN
— 9197701

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
L: 8.6
W: 9
H: 25.8 cm



REGINA
— 9492442

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 2x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
L: 8.6
W: 9
H: 34.8 cm



SORREN
— 9197702

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · E27 · 2x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
L: 22
W: 8.7
H: 22 cm



REGINA
— 9492760

Dark Anthracite
Die-Casting
Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
L: 13.8
W: 10
H: 23.8 cm



REGINA
— 9492710

Dark Anthracite
Die-Casting
Aluminium
& Clear Acrylic
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
L: 15.2
W: 12.2
H: 29.5 cm





BREGGO
— 9923419

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
671Lm · 3000K
IP54

—
L: 61
W: 10
H: 7.5 cm



BREGGO
— 9923420

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
671Lm · 3000K
IP54

—
L: 61
W: 10
H: 7.5 cm



BREGGO
— 9923421

Sandy White
Aluminium
LED · 17 Watt
220-240 Vac
890Lm · 3000K
IP54

—
L: 81
W: 10
H: 7.5 cm




BREGGO
— 9923422

Sandy Black
Aluminium
LED · 17 Watt
220-240 Vac
890Lm · 3000K
IP54

—
L: 81
W: 10
H: 7.5 cm




BREGGO
— 9923419



BREGGO
— 9923420



BREGGO
— 9923421



BREGGO
— 9923422




RIDGE

— 9923405

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
1073Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 65 cm




RIDGE

— 9923406

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
1073Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 65 cm



RIDGE

— 9923407

Sandy White
Aluminium
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 97 cm



RIDGE

— 9923408

Sandy Black
Aluminium
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65

—
D1: 1.6
D2: 7.6
H: 97 cm





ISOS
— 9030100



ISOS
— 9030101



ISOS
— 9030102



ISOS
— 9030100

Sandy Black
Aluminium
LED · 6 Watt
220-240 Vac
517Lm · 3000K
IP65
—
L: 5.3
W: 6
H: 61 cm



ISOS
— 9030101

Sandy White
Aluminium
LED · 6 Watt
220-240 Vac
517Lm · 3000K
IP65
—
L: 5.3
W: 6
H: 61 cm



ISOS
— 9030102

Corten
Aluminium
LED · 6 Watt
220-240 Vac
517Lm · 3000K
IP65
—
L: 5.3
W: 6
H: 61 cm





ANETH
— 9923409

Sandy White
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65


L: 5.3
W: 9
H: 104 cm



ANETH
— 9923410

Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65

L: 5.3
W: 9
H: 104 cm



ANETH
— 9923409

DOUL
— 9030105

DOUL
— 9030104

DOUL
— 9030103

DOUL
— 9030105

Corten
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65

L: 5.3
W: 6
H: 121 cm



DOUL
— 9030104

Sandy White
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65

L: 5.3
W: 6
H: 121 cm



DOUL
— 9030103


Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1200Lm · 3000K
IP65

L: 5.3
W: 6
H: 121 cm






PATH
— 9030707



PATH
— 9030708



PATH
— 9030709



PATH
— 9030710



PATH — 9030707	PATH — 9030708	PATH — 9030709	PATH — 9030710
Sandy Black Aluminium LED · 11 Watt 220-240 Vac 150Lm · 3000K IP65	Sandy White Aluminium LED · 11 Watt 220-240 Vac 150Lm · 3000K IP65	Sandy Black Aluminium LED · 19 Watt 220-240 Vac 380Lm · 3000K IP65	Sandy White Aluminium LED · 19 Watt 220-240 Vac 380Lm · 3000K IP65
L: 4.7 W: 6 H: 50 cm	L: 4.7 W: 6 H: 50 cm	L: 4.7 W: 6 H: 100 cm	L: 4.7 W: 6 H: 100 cm

NOVA
— 9030943

Dark Anthracite
Aluminium
& Glass
LED · 21 Watt
220-240 Vac
974Lm · 3000K
IP65

L: 50
W: 6.5
H: 9 cm



NOVA
— 9030943



NOVA
— 9030944

Dark Anthracite
Aluminium
& Glass
LED · 36 Watt
220-240 Vac
1579Lm · 3000K
IP65

L: 100
W: 6.5
H: 9 cm



NOVA
— 9030944



INGA
— 9030593

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 11 Watt
220-240 Vac
875Lm · 3000K
IP65

Light up, down & front

L: 15.3
W: 7.3
H: 6.5 cm



INGA
— 9030594

Corten
Die-Casting
Aluminium & Glass
LED · 11 Watt
220-240 Vac
875Lm · 3000K
IP65

Light up, down & front

L: 15.3
W: 7.3
H: 6.5 cm



INGA
— 9030595

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 18 Watt
220-240 Vac
1484Lm · 3000K
IP65

Light up, down & front

L: 30
W: 7.3
H: 6.5 cm



INGA
— 9030596

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 31 Watt
220-240 Vac
3028Lm · 3000K
IP65

Light up, down & front

L: 45
W: 7.3
H: 6.5 cm



INGA
— 9030593



INGA
— 9030594



INGA
— 9030595



INGA
— 9030596



FLORA
— 9030807


Sandy Black
Aluminium
& Glass Diffuser
LED · 10 Watt
220-240 Vac
686Lm · 3000K
IP54

Light up & down

L: 23
W: 6.5
H: 6.5 cm



FLORA
— 9030807



FLORA
— 9030808



FLORA
— 9030808

Sandy White
Aluminium
& Glass Diffuser
LED · 10 Watt
220-240 Vac
686Lm · 3000K
IP54

Light up & down

L: 23
W: 6.5
H: 6.5 cm



ALLURE
— 9136456

Sandy Black
Aluminium
& Glass
LED · 22 Watt
220-240 Vac
1723Lm · 3000K
IP65

Light up & down

L: 26
W: 5.1
H: 6.5 cm



ALLURE
— 9136457

Sandy White
Aluminium
& Glass
LED · 22 Watt
220-240 Vac
1723Lm · 3000K
IP65

Light up & down

L: 26
W: 5.1
H: 6.5 cm



ALLURE
— 9136458

Sandy Black
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
502Lm · 3000K
IP65

Light down

L: 22
W: 5.3
H: 5.5 cm



ALLURE
— 9136459


Sandy White
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
502Lm · 3000K
IP65

Light down

L: 22
W: 5.3
H: 5.5 cm




ALLURE
— 9136456



ALLURE
— 9136457



ALLURE
— 9136458



ALLURE
— 9136459



BROWN
— 9030583

Sandy Black
Die-Casting
Aluminium, Wood
Color & Clear Glass
LED · 2 Watt
3.7 Vdc · 82Lm
3000K · IP65
Solar light

L: 25.8
W: 8.6
H: 8.6 cm



BROWN
— 9030584

Corten
Die-Casting
Aluminium, Wood
Color & Clear Glass
LED · 2 Watt
3.7 Vdc · 82Lm
3000K · IP65
Solar light

L: 25.8
W: 8.6
H: 8.6 cm



BROWN
— 9030585

Sandy White
Die-Casting
Aluminium, Wood
Color & Clear Glass
LED · 2 Watt
3.7 Vdc · 82Lm
3000K · IP65
Solar light

L: 25.8
W: 8.6
H: 8.6 cm




BROWN
— 9030583



BROWN
— 9030584



BROWN
— 9030585



ASTRAL
— 9030633

Dark Anthracite
Die-Casting
Aluminium,
Natural Wood Color
& Clear Glass
LED · 10 Watt
220-240 Vac
192Lm · 3000K
IP65

L: 8.6
W: 9
H: 25.8 cm



ASTRAL
— 9030633



ASTRAL
— 9030631



ASTRAL
— 9030631

Dark Anthracite
Die-Casting
Aluminium,
Natural Wood Color
& Clear Glass
LED · 16 Watt
220-240 Vac
374Lm · 3000K
IP65

L: 22
W: 8.7
H: 22 cm



ASTRAL
— 9030632



ASTRAL
— 9030630



ASTRAL
— 9030632

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
373Lm · 3000K
IP65


L: 8.6
W: 9
H: 25.8 cm





ASTRAL
— 9030630

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 16 Watt
220-240 Vac
948Lm · 3000K
IP65

L: 22
W: 8.7
H: 22 cm





KEEN
— 9270015

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 9
W: 7
H: 18 cm



KEEN
— 9270016

Sandy White
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 9
W: 7
H: 18 cm



KEEN
— 9270027

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 18
W: 9
H: 9 cm



KEEN
— 9270028

Sandy White
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
1080Lm · 3000K
IP65
—
L: 18
W: 9
H: 9 cm




KEEN
— 9030945


Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 20 Watt
220-240 Vac
1585Lm · 3000K
IP65
—
L: 30
W: 11.5
H: 10 cm



KEEN
— 9030946

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 41 Watt
220-240 Vac
2768Lm · 3000K
IP65
—
L: 60
W: 15
H: 18 cm





LUPO
— 9926617

Dark Anthracite
Aluminium
& Acrylic Diffuser
LED · 10 Watt
220-240 Vac
380Lm · 3000K
IP65

—
L: 11
W: 8.5
H: 25 cm



LUPO
— 9926617



KEEN
— 9160081

Dark Gray
Aluminium
& Acrylic Diffuser
LED · 12 Watt
220-240 Vac
936Lm · 3000K
IP65

—
L: 9.5
W: 6.5
H: 22.5 cm



KEEN
— 9160081



NOBU
— 9060206



ZENON
— 9492610



CAPE
— 9492550



NOBU
— 9060206

Sandy Black
Aluminium
& Glass Diffuser
LED · 15 Watt
220-240 Vac
497Lm · 3000K
IP65

—
L: 19.3
W: 4.7
H: 12.7 cm



ZENON
— 9492610

Dark Anthracite
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 10 Watt
220-240 Vac
558Lm · 3000K
IP65

—
L: 18
W: 7.5
H: 9 cm



CAPE
— 9492550

Dark Anthracite
Die-Casting
Aluminium,
Frost Acrylic
& Clear Glass
LED · 10 Watt
220-240 Vac
763Lm · 3000K
IP65

—
L: 20
W: 7.4
H: 20 cm



ARTU
— 9971460

Sandy Black
Aluminium
& Acrylic
LED · 10 Watt
220-240 Vac
335Lm · 3000K
IP65
—
L: 17.5
W: 3
H: 9.5 cm



ARTU
— 9971461

Sandy White
Aluminium
& Acrylic
LED · 10 Watt
220-240 Vac
335Lm · 3000K
IP65
—
L: 17.5
W: 3
H: 9.5 cm



FUNGO
— 9027201

Dark Gray
Aluminium
& Glass Diffuser
LED · 12 Watt
220-240 Vac
536Lm · 3000K
IP65
Light down
—
L: 22
W: 7.6
H: 3.2 cm



FUNGO
— 9027202

Sandy White
Aluminium
& Glass Diffuser
LED · 12 Watt
220-240 Vac
536Lm · 3000K
IP65
Light down
—
L: 22
W: 7.6
H: 3.2 cm



ARTU
— 9971460



ARTU
— 9971461



FUNGO
— 9027201



FUNGO
— 9027202



OONO
— 9030158



OONO
— 9030159



COMBO
— 9492600



OONO
— 9030158

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · 11 Watt
220-240 Vac
270Lm · 3000K
IP65
—

D: 14.5
W: 4.7 cm



OONO
— 9030159

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · 11 Watt
220-240 Vac
270Lm · 3000K
IP65
—


L: 13.5
W: 5
H: 13.5 cm



COMBO
— 9492600

Dark Anthracite
Die-Casting
Aluminium
& Polycarbonate
LED · 8 Watt
220-240 Vac
265Lm · 3000K
IP65
—

L: 16
W: 4.6
H: 15.5 cm



NOCTA
— 9030930


Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
547Lm · 3000K
IP54

Light up & down

L: 9.6
W: 10
H: 24 cm



NOCTA
— 9030930



NOCTA
— 9030931

Sandy White
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
547Lm · 3000K
IP54

Light up & down

L: 9.6
W: 10
H: 24 cm



NOCTA
— 9030931



POLLY
— 9030922

Sandy Black
Aluminium
LED · 10 Watt
220-240 Vac
608Lm · 3000K
IP54

L: 13
W: 5.5
H: 18 cm



POLLY
— 9030922



POLLY
— 9030923


Sandy White
Aluminium
LED · 10 Watt
220-240 Vac
608Lm · 3000K
IP54

L: 13
W: 5.5
H: 18 cm



POLLY
— 9030923





ARABELLA
— 9026119

Sandy White
Aluminium
& Clear Glass
LED · 6 Watt
100-240 Vac
398Lm · 3000K
IP54
Beam angle 50°
—
L: 11
W: 9
H: 18 cm



ARABELLA
— 9026119



MILE
— 9257871

Sandy White
Aluminium
& Glass
LED · 9 Watt
100-240 Vac
475Lm · 3000K
IP54
Light up & down
—
L: 18
W: 11.5
H: 7.5 cm



MILE
— 9257871



MILE
— 9262111

Sandy White
Aluminium
& Glass
LED · 2x5 Watt
100-240 Vac
550Lm · 3000K
IP54
Light up & down
—
L: 18
W: 3.5
H: 9 cm



MILE
— 9262111




FEDOR
— 9492630

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
282Lm · 3000K
IP65
Light up & down
—
L: 15.6
W: 3.8
H: 9.7 cm




FEDOR
— 9492630



BRIN
— 9160101

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
341Lm · 3000K
IP65
—
L: 14
W: 14.5
H: 3.5 cm



ZIRI
— 9492570

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
284Lm · 3000K
IP65
—
L: 18
W: 11.6
H: 4 cm




AGILE
— 833426

Dark Gray
Die-Casting
Aluminium
LED · 13 Watt
220-240 Vac
480Lm · 3000K
IP54
—
D: 15
W: 11.7
H: 15 cm



GRAVITY
— 810067

Dark Gray
Die-Casting
Aluminium
Acrylic Diffuser
LED · 13 Watt
220-240 Vac
660Lm · 3000K
IP54
—
D: 14
W: 4.8
H: 14cm



PURE
— 9492560



NECTAR
— 9030576




PARRIS
— 9492620



PURE
— 9492560

Dark Anthracite
Die-Casting
Aluminium
& Frost Acrylic
LED · 6 Watt
220-240 Vac
299Lm · 3000K
IP65
—
L: 16
W: 10.2
H: 3.4 cm



NECTAR
— 9030576

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
468Lm · 3000K
IP65
Light up & down
—
L: 20
W: 9.4
H: 5.5 cm



PARRIS
— 9492620

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
395Lm · 3000K
IP65
—
L: 12
W: 12
H: 11.5 cm



SALLY
— 9176105

Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1261Lm · 3000K
IP54

L: 21
W: 16.5
H: 10 cm



SALLY
— 9176105



GERBER
— 9923423

Sandy Black
Aluminium
LED · 20 Watt
220-240 Vac
1261Lm · 3000K
IP54

With motion sensor

L: 21
W: 16.5
H: 10 cm



Max. distance 5m
The lights need to be installed
at least 1.5-2.5m from the ground.

VIDENO
— 9030624

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 225Lm
3000K · IP65

Solar light

L: 20
W: 10.3
H: 5.5 cm



VIDENO
— 9030624



SOLAR LIGHT

Working Time
10-11 Hrs

VIDENO
— 9492590

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 10 Watt
220-240 Vac
302Lm · 3000K
IP65

Light up & down

L: 20
W: 10.3
H: 5.5cm




VIDENO
— 9492590



VALOR
— 9492540



TRENDO
— 9492520



PRIM
— 9492510



VALOR
— 9492540

Dark Anthracite
Die-Casting
Aluminium
& Frost Acrylic
LED · 2 Watt
3.7 Vdc · 104Lm
3000K · IP65

**Solar light
With motion sensor**

L: 18.6
W: 7.2
H: 14 cm



TRENDO
— 9492520

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 219Lm
3000K · IP65

**Solar light
With motion sensor**

L: 12.2
W: 14.6
H: 5 cm



PRIM
— 9492510

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 197Lm
3000K · IP65

**Solar light
With motion sensor**

L: 18
W: 17.5
H: 3.5 cm






0-90°
adjustable
beam angle




EPIC
— 9136174



EPIC
— 9136175



COMO
— 747406



COMO
— 847406



COMO
— 847407



COMO
— 847408

EPIC
— 9136174

Dark Anthracite
Aluminium
LED · 2x10 Watt
220-240 Vac
1950Lm · 3000K
IP54
—
L: 15
W: 15
H: 15 cm



EPIC
— 9136175

White
Aluminium
LED · 2x10 Watt
220-240 Vac
1950Lm · 3000K
IP54
—
L: 15
W: 15
H: 15 cm



COMO
— 747406

Sandy White
Aluminium
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
—
L: 11.2
W: 11.2
H: 11.2 cm



COMO
— 847406

Antique Brown
Aluminium
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
—
L: 11.2
W: 11.2
H: 11.2 cm



COMO
— 847407

Dark Gray
Aluminium
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
—
L: 11.2
W: 11.2
H: 11.2 cm



COMO
— 847408

Dark Anthracite
Aluminium
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
—
L: 11.2
W: 11.2
H: 11.2 cm





OPERA
— 9030937

Dark Anthracite
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
950Lm · 3000K
IP54
Light up & down

L: 11
W: 10
H: 6.8 cm



OPERA
— 9030937



OPERA
— 9030940



OPERA
— 9030940

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
478Lm · 3000K
IP54
Light down

L: 11
W: 10
H: 6.8 cm



OPERA
— 9030938

Corten
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
950Lm · 3000K
IP54
Light up & down

L: 11
W: 10
H: 6.8 cm



OPERA
— 9030938



OPERA
— 9030941

OPERA
— 9030941

Corten
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
478Lm · 3000K
IP54
Light down

L: 11
W: 10
H: 6.8 cm




OPERA
— 9030939

Sandy White
Aluminium
& Glass
LED · 11 Watt
220-240 Vac
950Lm · 3000K
IP54
Light up & down

L: 11
W: 10
H: 6.8 cm



OPERA
— 9030939



OPERA
— 9030942

OPERA
— 9030942

Sandy White
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
478Lm · 3000K
IP54
Light down

L: 11
W: 10
H: 6.8 cm





ZARI
— 9226217



ZARI
— 9226215



COMO
— 852436



ZARI
— 9226216



ZARI
— 9226214



COMO
— 726217



ZARI
— 9226217

Sandy White
Aluminium & Glass
LED · 2x2 Watt
100-240 Vac
285Lm · 3000K
IP54

Beam angle 38°
Light in 2 directions

L: 5.5
W: 6.5
H: 6.5 cm



ZARI
— 9226216

Dark Anthracite
Aluminium & Glass
LED · 2x2 Watt
100-240 Vac
285Lm · 3000K
IP54

Beam angle 38°
Light in 2 directions

L: 5.5
W: 6.5
H: 6.5 cm



ZARI
— 9226215

Sandy White
Aluminium & Glass
LED · 4x1 Watt
100-240 Vac
265Lm · 3000K
IP54

Beam angle 38°
Light in 4 directions

L: 5.5
W: 6.5
H: 6.5 cm



ZARI
— 9226214

Dark Anthracite
Aluminium & Glass
LED · 4x1 Watt
100-240 Vac
265Lm · 3000K
IP54

Beam angle 38°
Light in 4 directions

L: 5.5
W: 6.5
H: 6.5 cm



COMO
— 852436

Sandy White
Aluminium
& Glass
LED · 4x1 Watt
220-240 Vac
265Lm · 3000K
IP54

Beam angle 51°
Light in 4 directions

D: 11
W: 8.5 cm



COMO
— 726217

Sandy White
Aluminium
& Glass
LED · 2x5 Watt
220-240 Vac
560Lm · 3000K
IP54

Beam angle 51°
Light in 2 directions

D: 11
W: 8.5 cm





ELIO
— 9971470

Dark Anthracite
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
429Lm · 3000K
IP65

Light up & down
Beam Angle 6°

L: 7
W: 6.2
H: 13 cm



ELIO
— 9971470



ELIO
— 9971473



ELIO
— 9971473

Dark Anthracite
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
1327Lm · 3000K
IP65

Light up & down
Beam Angle 7°

L: 11.4
W: 6.2
H: 13 cm



ELIO
— 9971471

Sandy White
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
429Lm · 3000K
IP65

Light up & down
Beam Angle 6°

L: 7
W: 6.2
H: 13 cm



ELIO
— 9971471



ELIO
— 9971474



ELIO
— 9971474

Sandy White
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
1327Lm · 3000K
IP65

Light up & down
Beam Angle 7°

L: 11.4
W: 6.2
H: 13 cm



ELIO
— 9971472

Corten
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
429Lm · 3000K
IP65

Light up & down
Beam Angle 6°

L: 7
W: 6.2
H: 13 cm



ELIO
— 9971472



ELIO
— 9971475



ELIO
— 9971475

Corten
Aluminium
& Glass
LED · 12 Watt
220-240 Vac
1327Lm · 3000K
IP65

Light up & down
Beam Angle 7°

L: 11.4
W: 6.2
H: 13 cm



ALP
— 9010008

Sandy Black
Aluminium
& Glass
LED Chip Cree
7 Watt
220-240 Vac
565Lm · 3000K
IP65
Beam Angle 7°




ALP
— 9010009

Sandy Black
Aluminium
& Glass
LED Chip Cree
2x7 Watt
220-240 Vac
1857Lm · 3000K
IP65
Beam Angle 7°



ALP
— 9010008



ALP
— 9010009



DIO
— 9136450

Sandy Black
Aluminium
LED · 4 Watt
220-240 Vac
60Lm · 3000K
IP65
Beam Angle 20°




DIO
— 9136451

Sandy Black
Aluminium
LED · 4 Watt
220-240 Vac
60Lm · 3000K
IP65
Beam Angle 20°




DIO
— 9136450




DIO
— 9136451





DUOMO
— 9050729



DUOMO
— 9050730



SERIKA
— 9492580



DUOMO
— 9050729

Dark Anthracite
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
400Lm · 3000K
IP54

—
L: 12
W: 3.7
H: 8 cm



DUOMO
— 9050730

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
400Lm · 3000K
IP54

—
L: 12
W: 3.7
H: 8 cm



SERIKA
— 9492580

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 9 Watt
220-240 Vac
188Lm · 3000K
IP65

—
L: 11
W: 6
H: 11 cm



MILEY
— 9202262



MILEY
— 9202261



VEIRO
— 9104835



MILEY
— 9202262

Sandy Black
Aluminium
& Glass
LED · 7 Watt
200-240 Vac
397Lm · 3000K
IP54

Light up & dDown
—
L: 7.4
W: 7.4
H: 13.6 cm



MILEY
— 9202261

Sandy White
Aluminium
& Glass
LED · 7 Watt
200-240 Vac
397Lm · 3000K
IP54

Light up & down
—
L: 7.4
W: 7.4
H: 13.6 cm




VEIRO
— 9104835

Dark Anthracite
Die-Casting
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
346Lm · 3000K
IP65

Light up & down
—
L: 9
W: 9.3
H: 20.5 cm





BRICE
— 9136176



BRICE
— 9136177



BRICE
— 9136176

Sandy Black
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
594Lm · 3000K
IP54
—
L: 4
W: 12
H: 6 cm



BRICE
— 9136177

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
220-240 Vac
594Lm · 3000K
IP54
—
L: 4
W: 12
H: 6 cm



DEWEI
— 9026117



DEWEI
— 9026118



AZAR
— 9026116



DEWEI
— 9026117

Dark Anthracite
Aluminium
& Acrylic
LED · 2x2 Watt
100-240 Vac
400Lm · 3000K
IP54
Light up & down
—
L: 5
W: 4
H: 9 cm



DEWEI
— 9026118

Sandy White
Aluminium
& Acrylic
LED · 2x2 Watt
100-240 Vac
400Lm · 3000K
IP54
Light up & down
—
L: 5
W: 4
H: 9 cm



AZAR
— 9026116

Dark Anthracite
Aluminium
& Acrylic
LED · 2x2 Watt
100-240 Vac
400Lm · 3000K
IP54
Light up & down
—
L: 5
W: 4
H: 9 cm



BOXY
— 9030148

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 3 Watt
220-240 Vac
157Lm · 3000K
IP65

Light down

L: 6.5
W: 3.8
H: 9 cm



BOXY
— 9030148



BOXY
— 9030149



BOXY
— 9030150



BOXY
— 9030151




BOXY
— 9030150

Dark Anthracite
Die-Casting
Aluminium & Glass
LED · 6 Watt
220-240 Vac
312Lm · 3000K
IP65

Light up & down

L: 6.5
W: 3.8
H: 12 cm



BOXY
— 9030151

Sandy White
Die-Casting
Aluminium & Glass
LED · 6 Watt
220-240 Vac
312Lm · 3000K
IP65

Light up & down

L: 6.5
W: 3.8
H: 12 cm





ORION
— 9030934

Dark Anthracite
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
161Lm · 3000K
IP54
Beam angle 60°
Light up & down
—
L: 8
W: 4.5
H: 16 cm



ORION
— 9030935

Corten
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
161Lm · 3000K
IP54
Beam angle 60°
Light up & down
—
L: 8
W: 4.5
H: 16 cm



ORION
— 9030936

Sandy White
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
161Lm · 3000K
IP54
Beam angle 60°
Light up & down
—
L: 8
W: 4.5
H: 16 cm



ORION
— 9030934



ORION
— 9030935



ORION
— 9030936

TICK
— 9030815

Sandy Black
Aluminium
& Glass Diffuser
LED · 4 Watt
220-240 Vac
218Lm · 3000K
IP54
Light down
—
L: 11.5
W: 3
H: 9 cm



TICK
— 9030816

Sandy White
Aluminium
& Glass Diffuser
LED · 4 Watt
220-240 Vac
218Lm · 3000K
IP54
Light down
—
L: 11.5
W: 3
H: 9 cm



TICK
— 9030817

Sandy Black
Aluminium
& Glass Diffuser
LED · 7 Watt
220-240 Vac
416Lm · 3000K
IP54
Light up & down
—
L: 11.5
W: 3
H: 9 cm



TICK
— 9030818

Sandy White
Aluminium
& Glass Diffuser
LED · 7 Watt
220-240 Vac
416Lm · 3000K
IP54
Light up & down
—
L: 11.5
W: 3
H: 9 cm



TICK
— 9030815



TICK
— 9030816



TICK
— 9030817



TICK
— 9030818



PRATO
— 9030746

Sandy Black
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
434Lm · 3000K
IP65
Light up & down
—
L: 18.4
W: 3.6
H: 11 cm



PRATO
— 9030747

Sandy White
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
434Lm · 3000K
IP65
Light up & down
—
L: 18.4
W: 3.6
H: 11 cm



COMO
— 741662

Dark Gray
Aluminium
& Glass
LED · 2x3 Watt
220-240 Vac
510Lm · 3000K
IP54
Light up & down
Beam angle 34°
—
L: 15
W: 7
H: 11 cm



PRATO
— 9030746



PRATO
— 9030747



COMO
— 741662




SOHO
— 740401

Dark Gray
Aluminium
& Glass Diffuser
LED · 2x3 Watt
220-240 Vac
480Lm · 3000K
IP54
Light up & down
—
L: 12
W: 3
H: 10 cm



SOHO
— 740402

Sandy White
Aluminium
& Glass Diffuser
LED · 2x3 Watt
220-240 Vac
480Lm · 3000K
IP54
Light up & down
—
L: 12
W: 3
H: 10 cm



SOHO
— 740404

Dark Gray
Aluminium
& Glass Diffuser
LED · 2x5 Watt
220-240 Vac
800Lm · 3000K
IP54
Light up & down
—
L: 18.5
W: 3
H: 10 cm




SOHO
— 740403

Sandy White
Aluminium
& Glass Diffuser
LED · 2x5 Watt
220-240 Vac
800Lm · 3000K
IP54
Light up & down
—
L: 18.5
W: 3
H: 10 cm



ZARO
— 9492650

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 10 Watt
220-240 Vac
639Lm · 3000K
IP65
Light up & down
—
L: 9
W: 5.5
H: 10.2 cm



DEWI
— 9492640

Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 8 Watt
220-240 Vac
296Lm · 3000K
IP65
Light up & down
—
L: 11.8
W: 3.8
H: 9.7 cm



SOHO
— 740401



SOHO
— 740402



SOHO
— 740404




SOHO
— 740403



ZARO
— 9492650



DEWI
— 9492640



YOKO
— 9030827

Sandy Black
Polycarbonate
& Acrylic Diffuser
LED · 13 Watt
220-240 Vac
788Lm · 3000K
IP65

Light up & down

L: 20
W: 3.9
H: 12.5 cm



YOKO
— 9030828

Sandy Black
Polycarbonate
& Acrylic Diffuser
LED · 7 Watt
220-240 Vac
374Lm · 3000K
IP65

Light down

L: 20
W: 3.9
H: 12.5 cm



WAY
— 9030829

Sandy Black
Polycarbonate
& Acrylic Diffuser
LED · 6 Watt
220-240 Vac
421Lm · 3000K
IP65

Light up & down

L: 13
W: 4
H: 14 cm



YORK
— 9030830

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65

Light up & down
BULB EXCLUDED

L: 11
W: 8.5
H: 19.5 cm



YORK
— 9030831

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP65

Light up & down
BULB EXCLUDED

L: 11
W: 8.5
H: 19.5 cm



YORK
— 9030832

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

Light down
BULB EXCLUDED

L: 11
W: 8.5
H: 11 cm




YORK
— 9030833

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

Light down
BULB EXCLUDED

L: 11
W: 8.5
H: 11 cm





BETA
— 9030800

Sandy Black
Aluminium
& Glass Diffuser
LED · 8 Watt
220-240 Vac
684Lm · 3000K
IP54
Light down

D: 9
W: 11
H: 6.8 cm



BETA
— 9030800



BETA
— 9030801

BETA
— 9030801

Sandy Black
Aluminium
& Glass Diffuser
LED · 13 Watt
220-240 Vac
1253Lm · 3000K
IP54
Light up & down

D: 9
W: 11
H: 6.8 cm



NUS
— 9200201

Sandy Black
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 4 Watt
100-240 Vac
400Lm · 3000K
IP54
Light down

L: 13.2
W: 9
H: 6.9 cm



NUS
— 9200201



NUS
— 9200202

NUS
— 9200202

Sandy Black
Die-Casting
Aluminium
& Acrylic Diffuser
LED · 2x4 Watt
100-240 Vac
943Lm · 3000K
IP54
Light up & down

L: 13.2
W: 9
H: 7.8 cm



DARF
— 9925665

Sandy Black
Aluminium
& ABS Diffuser
LED · 5 Watt
100-240 Vac
420Lm · 3000K
IP65
Light down

D: 9.5
W: 10.5
H: 8.5 cm



DARF
— 9925665



DARF
— 9925666

DARF
— 9925666

Sandy Black
Aluminium
& ABS Diffuser
LED · 2x5 Watt
100-240 Vac
840Lm · 3000K
IP65
Light up & down

D: 9.5
W: 10.5
H: 13 cm



HELMET
— 9971468

Dark Anthracite
Aluminium
& Glass
LED · 5 Watt
220-240 Vac
321Lm · 3000K
IP65
Beam angle 13°

D: 7.5
H: 13 cm



HELMET
— 9971469

Dark Anthracite
Aluminium
& Glass
LED · 10 Watt
220-240 Vac
831Lm · 3000K
IP65
Beam angle 20°

D: 9
H: 13.5 cm



FOCUS
— 752470

Dark Gray
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
420Lm · 3000K
IP54
Beam angle 44°



L: 8.5
W: 14
H: 12 cm



OVI
— 9136182

Sandy Black
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54
Light down
BULB EXCLUDED

D: 10
W: 11
H: 9 cm



HELMET
— 9971468




HELMET
— 9971469




FOCUS
— 752470



OVI
— 9136182





TORRIN

— 9050715 (2700K)
— 9050714 (3000K)

Corten Aluminium & Glass
LED · 3 Watt
220-240 Vac · IP65
2700K · 230Lm
3000K · 240Lm
Beam angle 25°
Light down

D: 4.5
W: 7.5
H: 23 cm



TORRIN

— 9050717 (2700K)
— 9050716 (3000K)

Sandy White Aluminium & Glass
LED · 3 Watt
220-240 Vac · IP65
2700K · 230Lm
3000K · 240Lm
Beam angle 25°
Light down

D: 4.5
W: 7.5
H: 23 cm




TORRIN

— 9050719 (2700K)
— 9050718 (3000K)

Dark Anthracite Aluminium & Glass
LED · 3 Watt
220-240 Vac · IP65
2700K · 230Lm
3000K · 240Lm
Beam angle 25°
Light down

D: 4.5
W: 7.5
H: 23 cm



TORRIN
— 9050715
— 9050714



TORRIN
— 9050721
— 9050720

TORRIN

— 9050721 (2700K)
— 9050720 (3000K)

Corten Aluminium & Glass
LED · 6 Watt
220-240 Vac · IP65
2700K · 460Lm
3000K · 480Lm
Beam angle 25°
Light up & down

D: 4.5
W: 7.5
H: 23 cm



TORRIN

— 9050723 (2700K)
— 9050722 (3000K)

Sandy White Aluminium & Glass
LED · 6 Watt
220-240 Vac · IP65
2700K · 460Lm
3000K · 480Lm
Beam angle 25°
Light up & down

D: 4.5
W: 7.5
H: 23 cm



TORRIN

— 9050725 (2700K)
— 9050724 (3000K)

Dark Anthracite Aluminium & Glass
LED · 6 Watt
220-240 Vac · IP65
2700K · 460Lm
3000K · 480Lm
Beam angle 25°
Light up & down

D: 4.5
W: 7.5
H: 23 cm



TORRIN
— 9050725
— 9050724



LUSY

— 9971459

Corten Aluminium & Glass
LED · 5 Watt
220-240 Vac
310Lm · 3000K
IP65
Beam angle 34°

D: 5
W: 7
H: 20 cm



LUSY

— 9971458

Sandy White Aluminium & Glass
LED · 5 Watt
220-240 Vac
310Lm · 3000K
IP65
Beam angle 34°

D: 5
W: 7
H: 20 cm



LUSY
— 9971458

LUSY
— 9971459

LUSY
— 9971457



LUSY

— 9971457

Dark Anthracite Aluminium & Glass
LED · 5 Watt
220-240 Vac
310Lm · 3000K
IP65
Beam angle 34°

D: 5
W: 7
H: 20 cm





NERO
— 910021

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

—
D: 7
W: 8
H: 8 cm



NERO
— 910021



NERO
— 710021

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

—
D: 7
W: 8
H: 8 cm



NERO
— 710021



NERO
— 910041

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

—
L: 6.7
W: 8
H: 8 cm



NERO
— 910041



NERO
— 710041

Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

—
L: 6.7
W: 8
H: 8 cm



NERO
— 710041



NERO
— 910022

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

—
D: 7
W: 8
H: 15 cm



NERO
— 910022



NERO
— 710022

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

—
D: 7
W: 8
H: 15 cm



NERO
— 710022



NERO
— 910042

Sandy White
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

—
L: 6.7
W: 8
H: 15 cm



NERO
— 910042



NERO
— 710042

Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

—
L: 6.7
W: 8
H: 15 cm



NERO
— 710042



NODUS
— 773221

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

D: 6.5
W: 10.4
H: 11 cm



NODUS
— 773222

Antique Brown
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

Light down
BULB EXCLUDED

D: 6.5
W: 10.4
H: 11 cm



NODUS
— 773223

Dark Gray Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

D: 6.5
W: 10.4
H: 18 cm



NODUS
— 773224

Antique Brown
Aluminium
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP54

Light up & down
BULB EXCLUDED

D: 6.5
W: 10.4
H: 18 cm



JACKIE
— 9971462

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
226Lm · 3000K
IP65

Beam angle 34°
Light down

D: 6
W: 8
H: 8 cm



JACKIE
— 9971463

Sandy White
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
226Lm · 3000K
IP65

Beam angle 34°
Light down

D: 6
W: 8
H: 8 cm



JACKIE
— 9971464

Corten
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
226Lm · 3000K
IP65

Beam angle 34°
Light down

D: 6
W: 8
H: 8 cm



LIMBIO

— 9010601

White ABS
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP44

Light down
BULB EXCLUDED

—
D: 6
W: 8.5
H: 12 cm



LIMBIO
— 9010601



LIMBIO
— 9010602



LIMBIO

— 9010602

Black ABS
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP44

Light down
BULB EXCLUDED

—
D: 6
W: 8.5
H: 12 cm



LIMBIO
— 9010622



LIMBIO
— 9010621



LIMBIO

— 9010622

Black ABS
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP44

Light up & down
BULB EXCLUDED

—
D: 8
W: 8.5
H: 16 cm



LIMBIO

— 9010621

White ABS
& Glass Diffuser
LED · GU10 · 2x10 Watt
100-240 Vac
IP44


Light up & down
BULB EXCLUDED

—
D: 8
W: 8.5
H: 16 cm



LETO
— 9060203

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 18 Watt
220-240 Vac
2132Lm · 3000K
IP65
—
L: 14.5
W: 10.2
H: 29 cm



LETO
— 9060204

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 18 Watt
220-240 Vac
2132Lm · 3000K
IP65
—
L: 29
W: 14.5
H: 10.2 cm



LETO
— 9060202

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 18 Watt
220-240 Vac
2132Lm · 3000K
IP65
—
L: 14.5
W: 10.2
H: 29 cm



LETO
— 9060205

Sandy Black
Aluminium
& Acrylic Diffuser
LED · 10 Watt
220-240 Vac
1208Lm · 3000K
IP65
—
L: 14.5
W: 10.2
H: 17.5 cm





ZENITH
— 713115



ZENITH
— 713114




ZENITH
— 713113



ZENITH
— 9020932



ZENITH
— 9020933



ZENITH
— 713514



ZENITH
— 713115

Sandy White
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 30.3
W: 9
H: 10 cm



ZENITH
— 713114

Antique Brown
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 30.3
W: 9
H: 10 cm



ZENITH
— 713113

Dark Gray
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 30.3
W: 9
H: 10 cm



ZENITH
— 9020932

Dark Gray
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 30.3
W: 9
H: 10 cm



ZENITH
— 9020933

Dark Gray
Aluminium
& Anti-Glare
Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 30.3
W: 9
H: 10 cm



ZENITH
— 713514

Dark Gray
Aluminium
& Acrylic Diffuser
LED · E27 · 1x12 Watt
100-240 Vac
IP44

BULB EXCLUDED

L: 23
W: 9.5
H: 26.4 cm




ARROW

— 9050700

Dark Anthracite
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
562Lm · 3000K
IP65
—
L: 10
W: 9
H: 24 cm



ARROW
— 9050700



ARROW
— 9050701

ARROW

— 9050701

Brass Gold
Aluminium
& Polycarbonate
LED · 9 Watt
220-240 Vac
562Lm · 3000K
IP65
—
L: 10
W: 9
H: 24 cm



TIEPOLO
— 9030766



TIEPOLO
— 9030767

TIEPOLO

— 9030766

Sandy White
Polycarbonate
LED · 11 Watt
220-240 Vac
885Lm · 3000K
IP65
—
L: 9.8
W: 6
H: 20.8 cm



TIEPOLO

— 9030767

Sandy Black
Polycarbonate
LED · 11 Watt
220-240 Vac
885Lm · 3000K
IP65
—
L: 9.8
W: 6
H: 20.8 cm





TUNE
— 9529712



TUNE
— 9529713



TUNE
— 9529720



TUNE
— 9529721



DROPLET
— 9522101



DROPLET
— 9522102



TUNE
— 9529712

Sandy White
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65

—
D: 15
W: 5.5 cm



TUNE
— 9529713

Sandy Black
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65

—
D: 15
W: 5.5 cm



TUNE
— 9529720

Sandy White
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65

—
L: 15
W: 5.5
H: 15 cm



TUNE
— 9529721

Sandy Black
Aluminium
& Acrylic
LED · 9 Watt
100-240 Vac
620Lm · 3000K
IP65

—
L: 15
W: 5.5
H: 15 cm



DROPLET
— 9522101

Sandy White
Aluminium
& Acrylic
LED · 6 Watt
100-240 Vac
230Lm · 3000K
IP65

—
L: 13
W: 4.5
H: 16 cm




DROPLET
— 9522102

Sandy Black
Aluminium
& Acrylic
LED · 6 Watt
100-240 Vac
230Lm · 3000K
IP65

—
L: 13
W: 4.5
H: 16 cm





AMEL
— 9030577

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 12.5
W: 8.5
H: 25.5 cm



AMEL
— 9030577



AMEL
— 9030578



AMEL
— 9030578

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 14
W: 9.4
H: 27 cm



AMEL
— 9030164

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 9.5
W: 9
H: 23 cm



AMEL
— 9030164



AMEL
— 9030165



AMEL
— 9030165

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

L: 9.5
W: 9
H: 23 cm



AMEL
— 9030166

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

D: 17.5
W: 10 cm



AMEL
— 9030166



AMEL
— 9030167



AMEL
— 9030167

Dark Anthracite
Die-Casting
Aluminium & Clear
Polycarbonate
LED · E27 · 1x12 Watt
100-240 Vac
IP65

BULB EXCLUDED

D: 17.5
W: 10 cm



Ceiling

Our exterior ceiling lights combine durability and elegance to create a well-lit, inviting atmosphere for any outdoor setting. Perfect for porches, patios, and entryways, they enhance both natural and architectural elements with their stylish and functional design





SKY
— 9030823



OLIVER
— 9944603



OLIVER
— 9944602



TOMMY
— 9521001



TOMMY
— 9521002



SKY
— 9030823

Sandy Black Acrylic & Polycarbonate Diffuser
LED · 15 Watt
220-240 Vac
1197Lm · 3000K
IP65
—
D: 30
H: 7.7 cm



OLIVER
— 9944603

Dark Anthracite Aluminium & Acrylic Diffuser
LED · 20 Watt
100-240 Vac
1550Lm · 3000K
IP65
—
D: 27
H: 7 cm



OLIVER
— 9944602

Sandy White Aluminium & Acrylic Diffuser
LED · 20 Watt
100-240 Vac
1550Lm · 3000K
IP65
—
D: 27
H: 7 cm



TOMMY
— 9521001

Dark Gray ABS & Acrylic Diffuser
LED · 25 Watt
220-240 Vac
1500Lm · 3000K
IP54
—
D: 32
H: 6 cm



TOMMY
— 9521002

Dark Gray ABS & Acrylic Diffuser
LED · 21 Watt
220-240 Vac
1260Lm · 3000K
IP54
—
L: 28
W: 28
H: 6 cm




JUDI
— 9030834



JUDI
— 9030836




REO
— 9030768



JUDI
— 9030835



JUDI
— 9030837



REO
— 9030769



JUDI
— 9030834

Sandy White
Aluminium
& Polycarbonate
LED · 10 Watt
100-240 Vac
655Lm · 3000K
IP65

—
D: 12
H: 6 cm



JUDI
— 9030835

Dark Anthracite
Aluminium
& Polycarbonate
LED · 10 Watt
100-240 Vac
655Lm · 3000K
IP65

—
D: 12
H: 6 cm



JUDI
— 9030836

Sandy White
Aluminium
& Polycarbonate
LED · 20 Watt
100-240 Vac
1485Lm · 3000K
IP65

—
D: 21
H: 6 cm



JUDI
— 9030837

Dark Anthracite
Aluminium
& Polycarbonate
LED · 20 Watt
100-240 Vac
1485Lm · 3000K
IP65

—
D: 21
H: 6 cm



REO
— 9030768

Sandy White
Polycarbonate
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65

—
D: 23.5
W: 7.5 cm



REO
— 9030769

Sandy Black
Polycarbonate
LED · 19 Watt
220-240 Vac
1636Lm · 3000K
IP65

—
D: 23.5
W: 7.5 cm





JAX
— 9050703



JAX
— 9050704



JAX
— 9030947



JAX
— 9030948



JAX
— 9971479



JAX
— 9050703

Dark Anthracite
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
560Lm · 3000K
IP65

Beam angle 30°

L: 14.2
W: 4
H: 7.5 cm



JAX
— 9050704

Sandy White
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
560Lm · 3000K
IP65

Beam angle 30°

L: 14.2
W: 4
H: 7.5 cm



JAX
— 9030947

Dark Anthracite
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
448Lm · 3000K
IP54

Beam angle 28°

L: 8
W: 8
H: 6.5 cm



JAX
— 9030948

Sandy White
Aluminium
& Glass
LED · 8 Watt
220-240 Vac
448Lm · 3000K
IP54

Beam angle 28°

L: 8
W: 8
H: 6.5 cm



JAX
— 9971479

Dark Anthracite
Aluminium
& Glass
LED · 17 Watt
220-240 Vac
1463Lm · 3000K
IP54

Beam angle 29°

L: 11
W: 11
H: 8 cm



FOCUS
— 752461



FOCUS
— 752463



FOCUS
— 752462



FOCUS
— 752461

Dark Anthracite
Aluminium
& Glass Diffuser
LED · Gx53 · 7 Watt
424Lm · 3000K
IP54

D: 10
H: 6.5 cm



FOCUS
— 752463

Dark Gray
Aluminium
& Glass Diffuser
LED · Gx53 · 7 Watt
220-240 Vac
424Lm · 3000K
IP54


D: 10
H: 6.5 cm



FOCUS
— 752462

Sandy White
Aluminium
& Glass Diffuser
LED · Gx53 · 7 Watt
424Lm · 3000K
IP54

D: 10
H: 6.5 cm



LUMINA

— 9030842

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
508Lm · 3000K
IP65

Beam angle 16°

—
D: 6.5
H: 9 cm



LUMINA
— 9030842



LUMINA
— 9030843



LUMINA

— 9030843

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
508Lm · 3000K
IP65

Beam angle 16°

—
D: 6.5
H: 9 cm



LUMINA
— 9030844



LUMINA
— 9030845



LUMINA

— 9030844

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
716Lm · 3000K
IP65

Beam angle 18°

—
D: 8
H: 10 cm



LUMINA

— 9030845

Sandy White
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
716Lm · 3000K
IP65

Beam angle 18°

—
D: 8
H: 10 cm



CECI

— 9220021

Sandy White
Aluminium
& Glass Diffuser
LED · 3 Watt
100-240 Vac
230Lm · 3000K
IP65

Beam angle 52°

—
D: 5.5
H: 11 cm



CECI

— 9220022

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 3 Watt
100-240 Vac
230Lm · 3000K
IP65

Beam angle 52°

—
D: 5.5
H: 11 cm




CECI

— 9200612

Sandy White
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
520Lm · 3000K
IP65

—
D: 9
H: 11 cm





CECI

— 9200611

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 6 Watt
100-240 Vac
520Lm · 3000K
IP65

—
D: 9
H: 11 cm



CECI
— 9220021




CECI
— 9220022



CECI
— 9200612



CECI
— 9200611



DARA
— 9136178

Dark Anthracite
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
579Lm · 3000K
IP54

Beam angle 18°

—
D: 8
H: 11 cm



DARA
— 9136179

Sandy White
Aluminium
& Glass Diffuser
LED · 9 Watt
100-240 Vac
579Lm · 3000K
IP54

Beam angle 18°

—
D: 8
H: 11 cm



SPOT
— 9030821

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · GU10
1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 7.6
H: 14 cm



SPOT
— 9030822

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · GU10
1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 7.6
H: 14 cm



DARA
— 9136178



DARA
— 9136179



SPOT
— 9030821



SPOT
— 9030822



CERISE
— 9020021

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 6
H: 10.5 cm



CERISE
— 9020061

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 9
H: 9 cm



CERISE
— 9020022

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
L: 8.6
W: 8.6
H: 9 cm



CERISE
— 9020021



CERISE
— 9040021



CERISE
— 9020061



CERISE
— 9040061



CERISE
— 9020022



CERISE
— 9040022



CERISE
— 9040021

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 6
H: 10.5 cm



CERISE
— 9040061

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 9
H: 9 cm




CERISE
— 9040022

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
L: 8.6
W: 8.6
H: 9 cm





BLADE
— 9232116

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 7.8
H: 7.5cm



BLADE
— 9232116



7.8
7.5

BLADE
— 9232115



BLADE
— 9232115

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 7.8
H: 7.5cm



BLADE
— 9232119

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 8.5
H: 5.4 cm



BLADE
— 9232119



8.5
5.4

BLADE
— 9232120



BLADE
— 9232120

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 8.5
H: 5.4 cm



BLADE
— 9232117

Sandy White
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65

—
D: 9
H: 4.7 cm



BLADE
— 9232117



9
4.7

BLADE
— 9232118



BLADE
— 9232118

Sandy Black
Aluminium
LED · 12 Watt
220-240 Vac
720Lm · 3000K
IP65


—
D: 9
H: 4.7 cm



Portable Lights

Our portable lights offer flexible illumination for any outdoor setting, combining convenience with functionality. Ideal for enhancing both home environments and professional spaces like restaurants and bars, they create inviting atmospheres with their warm glow and enhance any space





Charging time	Working Time
5 Hrs	10-120 Hrs

- ! Memory of brightness & color temperature
- Low battery alert

PUK
— 9136400

[Touch Dimmable]
Sandy Black
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54

Press Switch on/off
Include single charging base

D: 10
H: 11.4 cm

LED IP54 CCT

PUK
— 9136401

[Touch Dimmable]
Sandy White
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54

Press Switch on/off
Include single charging base

D: 10
H: 11.4 cm

LED IP54 CCT

PUK
— 9136402

[Touch Dimmable]
Sage Green
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54

Press Switch on/off
Include single charging base

D: 10
H: 11.4 cm

LED IP54 CCT

PUK
— 9136403

[Touch Dimmable]
Sand
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54

Press Switch on/off
Include single charging base

D: 10
H: 11.4 cm

LED IP54 CCT

PUK
— 9136404

[Touch Dimmable]
Orange
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 114Lm
CCT
2200-2700-3000K
IP54

Press Switch on/off
Include single charging base

D: 10
H: 11.4 cm

LED IP54 CCT

BASE
— 9136405

Charging Base
for six products
Sandy Black Acrylic
100-240Vac

L: 46
W: 33
H: 4 cm
Cable Length: 150 cm



GRIGIO
— 9136452

[Touch Dimmable]
Sandy Black
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base

D: 10.1
H: 19.7 cm



GRIGIO
— 9136453

[Touch Dimmable]
Sandy White
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base

D: 10.1
H: 19.7 cm



GRIGIO
— 9136454

[Touch Dimmable]
Sage Green
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base

D: 10.1
H: 19.7 cm



GRIGIO
— 9136455


[Touch Dimmable]
Sand
Aluminium
& Polycarbonate
LED · 2 Watt
5 Vdc · 122Lm
CCT
2200-2700-3000K
IP54
Switch on/off
Include single
charging base

D: 10.1
H: 19.7 cm



BASE
— 9136405

Charging Base
for six products
Sandy Black Acrylic
100-240 Vac
—
L: 46
W: 33
H: 4 cm
Cable Length: 150 cm



GRIGIO
— 9136452



GRIGIO
— 9136453



GRIGIO
— 9136454



GRIGIO
— 9136455



Charging time	Working Time
5 Hrs	10-120 Hrs

- ! Memory of brightness & color temperature
- Low battery alert





ELBO
— 9030133



ELBO
— 9030134



ELBO
— 9030135



ELBO
— 9030136



ELBO
— 9030137

ELBO
— 9030133

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9
H: 17 cm



ELBO
— 9030134

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9
H: 17 cm



ELBO
— 9030135

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9
H: 17 cm



ELBO
— 9030136

[Touch Dimmable]
Olive
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9
H: 17 cm



ELBO
— 9030137

[Touch Dimmable]
Cream
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 99Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9
H: 17 cm





YCRO
— 9030138



YCRO
— 9030139



YCRO
— 9030140



YCRO
— 9030141



YCRO
— 9030142

YCRO
— 9030138

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

D: 8
H: 17.5 cm



YCRO
— 9030139

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

D: 8
H: 17.5 cm



YCRO
— 9030140

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

D: 8
H: 17.5 cm



YCRO
— 9030141

[Touch Dimmable]
Olive
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

D: 8
H: 17.5 cm



YCRO
— 9030142

[Touch Dimmable]
Cream
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

D: 8
H: 17.5 cm





DALT
— 9030143

DALT
— 9030143

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9.5
H: 25 cm



DALT
— 9030144

DALT
— 9030144

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9.5
H: 25 cm



DALT
— 9030145

DALT
— 9030145

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9.5
H: 25 cm



DALT
— 9030146

DALT
— 9030146

[Touch Dimmable]
Olive
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9.5
H: 25 cm



DALT
— 9030147

DALT
— 9030147

[Touch Dimmable]
Cream
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 1 Watt
3.7 Vdc · 60Lm
3000K · IP54
Switch on/off
USB wire

—
D: 9.5
H: 25 cm



ROUND HEAD		SQUARE HEAD		BASES			COMPATIBILITY
LUMO — 9030607		LUMO — 9030612		LUMO — 9030617		LUMO — 9030618	All round & square heads are compatible with bases: — 9030617 — 9030618 — 9030619 — 9030620 — 9030621
LUMO — 9030608		LUMO — 9030613					
LUMO — 9030609		LUMO — 9030614					
LUMO — 9030610		LUMO — 9030615		LUMO — 9030620		LUMO — 9030621	
LUMO — 9030611		LUMO — 9030616					



LUMO
— 9030617

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire

—
D: 12
H: 28.5 cm



LUMO
— 9030618

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire

—
D: 12
H: 28.5 cm



LUMO
— 9030619

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire

—
D: 12
H: 28.5 cm



LUMO
— 9030620

[Touch Dimmable]
Dark Gray
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire

—
D: 12
H: 28.5 cm




LUMO
— 9030621

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 120Lm
3000K · IP54
Switch on/off
USB wire

—
D: 12
H: 28.5 cm





**CHARGING
BASE**
— 9030622




Charging Base for one product
Combine with codes:
9030617, 9030618, 9030619,
9030620, 9030621

**CHARGING
BASE**
— 9030623



Charging Base for six products
Combine with codes:
9030617, 9030618, 9030619,
9030620, 9030621



L: 42.5 W: 27 H: 3.5 cm






ROSE
— 9281380

[Touch Dimmable]
Sandy White
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
—
D: 11.5
W: 11.8
H: 32 cm



ROSE
— 9281380



ROSE
— 9281381

ROSE
— 9281381

[Touch Dimmable]
Sandy Black
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
—
D: 11.5
W: 11.8
H: 32 cm




WORKING TIME		Charge: 4.5 hrs
100% of light	5% of light	
7-8 Hrs	280 Hrs	



FUMO
— 9002863



FUMO
— 9002864



FUMO
— 9492441



WORKING TIME			Charge: 7-10 hrs
100% of light	40% of light	10% of light	
4 Hrs	10 Hrs	50 Hrs	



FUMO
— 9002863

[Touch Dimmable]
Sandy White
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 230Lm
3000K · IP54
Switch on/off
USB Wire
—
D: 11.8
H: 30 cm



FUMO
— 9002864

[Touch Dimmable]
Dark Black
& Acrylic
LED · 2 Watt
3.7 Vdc · 230Lm
3000K · IP54
Switch on/off
USB Wire
—
D: 11.8
H: 30 cm



FUMO
— 9492441

[Touch Dimmable]
Sandy Black
Die-Casting
Aluminium
& Frost Acrylic
LED · 2 Watt
3.7 Vdc · 280Lm
3000K · IP54
Switch on/off
USB Wire
—
D: 19
H: 38 cm





DECK
— 9030561

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire

—
D: 8.5
H: 30 cm



DECK
— 9030561



DECK
— 9030562

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire

—
D: 8.5
H: 30 cm



DECK
— 9030562




DECK
— 9030563

[Touch Dimmable]
Corten Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire

—
D: 8.5
H: 30 cm



DECK
— 9030563



DECK
— 9030564

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 121Lm
3000K · IP54
Switch on/off
USB wire

—
D: 8.5
H: 30 cm



DECK
— 9030564



PETIT
— 9030711

[Touch Dimmable]
White Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off

—
D: 7
H: 28 cm



PETIT
— 9030711



PETIT
— 9030712

[Touch Dimmable]
Sandy Black Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off

—
D: 7
H: 28 cm



PETIT
— 9030712



PETIT
— 9030713

[Touch Dimmable]
Corten Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off

—
D: 7
H: 28 cm



PETIT
— 9030713



PETIT
— 9030714

[Touch Dimmable]
Olive Green
Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off

—
D: 7
H: 28 cm



PETIT
— 9030714




PETIT
— 9030715

[Touch Dimmable]
Dark Anthracite
Aluminium
LED · 2 Watt · 3.7 Vdc
101Lm · 3000K · IP54
Switch on/off

—
D: 7
H: 28 cm



PETIT
— 9030715



! Include charging base





D: 11.4
H: 39.5

WORKING TIME	
Charge: 4.5 hrs	
100% of light	50% of light
10 Hrs	20 Hrs

SEINA
— 9223403



SEINA
— 9223403

[Touch Dimmable]
Corten
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base

D: 11.4
H: 39.5 cm



SEINA
— 9223404




SEINA
— 9223404

[Touch Dimmable]
Basalt Gray
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base

D: 11.4
H: 39.5 cm



SEINA
— 9223405



SEINA
— 9223405

[Touch Dimmable]
Olive Green
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base

D: 11.4
H: 39.5 cm



SEINA
— 9223406



SEINA
— 9223406

[Touch Dimmable]
Sandy Black
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base

D: 11.4
H: 39.5 cm




SEINA
— 9223407



SEINA
— 9223407

[Touch Dimmable]
Sandy White
Aluminium
& Acrylic
LED · 2 Watt
5 Vdc · 192Lm
2700K · IP54
Switch on/off
USB Type C Wire
Rechargeable with
PG base

D: 11.4
H: 39.5 cm



BASE
— 9223408

Sandy Black
Aluminium
PG Recharging



ADAPTOR
— 9223410

Black adaptor 5V 2A



ADAPTOR
— 9223409

Black adaptor 5V 2A



WORKING TIME	Charge: 7-8 hrs
100% of light	5% of light
8-9 Hrs	280 Hrs



COLT
— 9223412

COLT
— 9223412

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire

—
D: 8
H: 30 cm



COLT
— 9223413

COLT
— 9223413

[Touch Dimmable]
Basalt Gray
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire

—
D: 8
H: 30 cm



COLT
— 9223411

COLT
— 9223411

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire

—
D: 8
H: 30 cm



COLT
— 9223414

COLT
— 9223414

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire

—
D: 8
H: 30 cm




COLT
— 9223415

COLT
— 9223415

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 132Lm
3000K · IP54
USB wire

—
D: 8
H: 30 cm



ADAPTOR
— 9223410


White adaptor 5V 2A



ADAPTOR
— 9223409

Black adaptor 5V 2A





WORKING TIME		Charge: 7-8 hrs
100% of light	8-9 Hrs	5% of light
		280 Hrs



COLT
— 9223997



COLT
— 9223998



COLT
— 9223999



COLT
— 9121911



COLT
— 9121912



COLT
— 9223997

[Touch Dimmable]
Basalt Gray
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire
—
D: 11
W: 10
H: 38 cm



COLT
— 9223998

[Touch Dimmable]
Olive Green
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire
—
D: 11
W: 10
H: 38 cm



COLT
— 9223999

[Touch Dimmable]
Corten
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire
—
D: 11
W: 10
H: 38 cm



COLT
— 9121911

[Touch Dimmable]
Sandy White
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire
—
D: 11
W: 10
H: 38 cm



COLT
— 9121912

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Acrylic
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP54
USB wire
—
D: 11
W: 10
H: 38 cm



ADAPTOR
— 9223409

Black adaptor 5V 2A



ADAPTOR
— 9223410

White adaptor 5V 2A





JIGRA
— 9002876

[Touch Dimmable]
Dark Anthracite
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 200Lm
3000K · IP54
USB wire

—
D: 16
W: 16
H: 22.8 cm



JIGRA
— 9002877

[Touch Dimmable]
Dark Anthracite
Aluminium
& Acrylic
LED · 2 Watt
3.7 Vdc · 210Lm
3000K · IP54
USB wire

—
D: 16
W: 16
H: 22 cm



JIGRA
— 9002876



Charging
time: 3 Hrs

JIGRA
— 9002877



VERHAL
— 9002862

[Touch Dimmable]
Dark Anthracite
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 200Lm
3000K · IP54
Solar light
Switch on/off
USB wire

—
L: 16
W: 16
H: 47.5 cm




VERHAL
— 9002862



VERHAL
— 9002861



WORKING TIME		Charge: 7-10 hrs
100% of light	40% of light	10% of light
4 Hrs	10 Hrs	50 Hrs






LUCIA
— 9176103

Sandy White
Aluminium
LED · 4 Watt
3.7 Vdc · 223Lm
3000K · IP54
Switch on/off
USB wire

L: 12
W: 12
H: 30 cm



LUCIA
— 9176103



LUCIA
— 9176104

Sandy Black
Aluminium
LED · 4 Watt
3.7 Vdc · 223Lm
3000K · IP54
Switch on/off
USB wire

L: 12
W: 12
H: 30 cm



LUCIA
— 9176104




TEGOLO
— 9136432

Sandy White
Aluminium & Glass
LED · 2 Watt
5 Vdc · 231Lm
3000K · IP54
Solar light
USB wire
Wall Base Included

L: 15.1
W: 16.6
H: 39.2 cm



TEGOLO
— 9136432



TEGOLO
— 9136431

Dark Anthracite
Aluminium & Glass
LED · 2 Watt
5 Vdc · 231Lm
3000K · IP54
Solar light
USB wire
Wall Base Included

L: 15.1
W: 16.6
H: 39.2 cm



TEGOLO
— 9136431




- Stepless dimmable
- Memory of brightness
- Low battery alert

CHARGING TIME

Solar	USB Type-C
19 Hrs	5 Hrs

- The two modes can be switched:
 - 1) Basic mode: touch switch, working time: 10-120 hrs
 - 2) Twilight sensor mode: automatically light up at night






BALI
— 9922360

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7Vdc · 399Lm
3000K · IP65
Solar Light
Switch on/off

L: 18
W: 18
H: 35 cm



BALI
— 9922360



BALI
— 9922510


[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7Vdc · 399Lm
3000K · IP65
Solar Light
Switch on/off

L: 18
W: 18
H: 51 cm



CHARGING TIME	
Solar	USB
3 Days	4-5 Hrs

BALI
— 9922510




MOCHA
— 9492700



FIGI
— 9922350



FIGI
— 9923500



Charging Time
4-5 Hrs

MOCHA
— 9492700

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
& Clear Glass
LED · 2 Watt
3.7 Vdc · 191Lm
3000K · IP54
Switch on/off
USB wire

—
D: 15
H: 35 cm



FIGI
— 9922350

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7 Vdc · 207Lm
3000K · IP65
Switch on/off
USB wire


—
L: 14.5
W: 14.5
H: 35 cm



FIGI
— 9923500

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium
LED · 2 Watt
3.7 Vdc · 271Lm
3000K · IP65
Switch on/off
USB wire

—
L: 14.5
W: 14.5
H: 50 cm






PERSEA
— 9030625

[Touch Dimmable]
Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 2 Watt
3.7 Vdc · 181Lm
3000K · IP54
Switch on/off
USB wire

—
D: 11,5
H: 115 cm






PERSEA
— 9030625



Step Lights

Our step lights enhance safety and style, illuminating stairs and pathways with a subtle, effective glow. Perfect for creating secure and visually appealing spaces, they combine functionality with elegant design





PAN
— 9030932

Dark Anthracite
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
378Lm · 3000K
IP54

Backlight
—
D: 15
W: 7 cm



PAN
— 9030932



PAN
— 9030933



PAN
— 9030933

Corten
Aluminium
& Glass
LED · 9 Watt
220-240 Vac
378Lm · 3000K
IP54

Backlight
—
D: 15
W: 7 cm



BRIGI
— 9020927

Dark Gray
Alluminium
Acrylic Cover
& Diffuser
LED · 1 Watt
220-240 Vac
159Lm · 3000K
IP65

—
D: 11
W: 3.1



BRIGI
— 9020927



ARNE
— 9492680



ARNE
— 9492680

Dark Anthracite
Die-Casting
Aluminium
& Acrylic
LED · 2 Watt
220-240 Vac
39Lm · 3000K
IP54

Beam angle 46°
—
D: 12
W: 2.9





RODIX
— 9136437

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
D: 16
W: 3.1 cm



RODIX
— 9136437



FEM
— 9136440



FEM
— 9136440

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
L: 16
W: 2.7
H: 16 cm



RODIX
— 9136438

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
D: 16
W: 3.1 cm



RODIX
— 9136438



FEM
— 9136441



FEM
— 9136441

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
L: 16
W: 2.7
H: 16 cm



RODIX
— 9136439

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
D: 16
W: 3.1 cm



RODIX
— 9136439



FEM
— 9136442



FEM
— 9136442

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
307Lm · 3000K
IP54

—
L: 16
W: 2.7
H: 16 cm





NECTAR
— 9030838

Dark Anthracite
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
115Lm · 3000K
IP65

—
D: 12
W: 2.8 cm



NECTAR
— 9030840

Dark Anthracite
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
159Lm · 3000K
IP65

—
L: 11
W: 3
H: 11 cm



TOBY
— 9030813

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
99Lm · 3000K
IP54

—
D: 11
W: 2.2 cm



TOBY
— 9030811

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
91Lm · 3000K
IP54

—
L: 10.5
W: 2.2
H: 10.5 cm



NECTAR
— 9030838



NECTAR
— 9030839



NECTAR
— 9030840



NECTAR
— 9030841



TOBY
— 9030813



TOBY
— 9030814



TOBY
— 9030811



TOBY
— 9030812



NECTAR
— 9030839

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
115Lm · 3000K
IP65

—
D: 12
W: 2.8 cm



NECTAR
— 9030841

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
100-240 Vac
159Lm · 3000K
IP65

—
L: 11
W: 3
H: 11 cm



TOBY
— 9030814

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
99Lm · 3000K
IP54

—
D: 11
W: 2.2 cm



TOBY
— 9030812

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 3 Watt
220-240 Vac
91Lm · 3000K
IP54

—
L: 10.5
W: 2.2
H: 10.5 cm





SUB
— 9136416

Sandy Black
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
225Lm · 3000K
IP65

—
L: 13.5
W: 3.5
H: 8.5 cm



SUB
— 9136417

Sandy White
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
225Lm · 3000K
IP65

—
L: 13.5
W: 3.5
H: 8.5 cm



SUB
— 9136418

Corten
Aluminium
& Polycarbonate
LED · 5 Watt
220-240 Vac
225Lm · 3000K
IP65


—
L: 13.5
W: 3.5
H: 8.5 cm



SUB
— 9136416



SUB
— 9136417



SUB
— 9136418






LIV
— 9018062

Dark Gray
Die-Casting
Aluminium
& Glass Diffuser
LED · 4 Watt
200-240 Vac
245Lm · 3000K
IP54
—
L: 13
W: 3
H: 5.5 cm



LIV
— 9018062



LIV
— 9018061



LIV
— 9018061

Sandy White
Die-Casting
Aluminium
& Glass Diffuser
LED · 4 Watt
200-240 Vac
245Lm · 3000K
IP54
—
L: 13
W: 3
H: 5.5 cm



VISION
— 9492690

Dark Anthracite
Die-Casting
Aluminium
& Acrylic
LED · 2 Watt
220-240 Vac
34Lm · 3000K
IP54
Beam angle 46°
—
L: 10
W: 2.9
H: 6.7 cm



VISION
— 9492690




RIO
— 9492670

Dark Anthracite
Die-Casting
Aluminium
& Glass
LED · 6 Watt
220-240 Vac
122Lm · 3000K
IP65
—
L: 22.7
W: 3.5
H: 12.7 cm



RIO
— 9492670





PASSO
— 9136410


Sandy Black
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
130Lm · 3000K
IP65
Light down
—
D: 12
W: 4 cm



PASSO
— 9136410



PASSO
— 9136413



PASSO
— 9136413

Sandy Black
Aluminium
& Polycarbonate
LED · 4 Watt
220-240 Vac
186Lm · 3000K
IP65
Light up & down
—
D: 12
W: 4 cm



PASSO
— 9136411

Sandy White
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
130Lm · 3000K
IP65
Light down
—
D: 12
W: 4 cm



PASSO
— 9136411




PASSO
— 9136414



PASSO
— 9136414

Sandy White
Aluminium
& Polycarbonate
LED · 4 Watt
220-240 Vac
186Lm · 3000K
IP65
Light up & down
—
D: 12
W: 4 cm



PASSO
— 9136412

Corten
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
130Lm · 3000K
IP65
Light down
—
D: 12
W: 4 cm



PASSO
— 9136412



PASSO
— 9136415



PASSO
— 9136415

Corten
Aluminium
& Polycarbonate
LED · 4 Watt
220-240 Vac
186Lm · 3000K
IP65
Light up & down
—
D: 12
W: 4 cm





SANGO
— 9136433

Sandy Black
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm



SANGO
— 9136434

Sandy White
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm



SANGO
— 9136435

Dark Gray
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm



SANGO
— 9136436


Corten
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
102Lm · 3000K
IP54
—
L: 10
W: 3.5
H: 8.5 cm



SANGO
— 9136433



SANGO
— 9136434



SANGO
— 9136435



SANGO
— 9136436





SOREN
— 9050726

Sandy Black
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
144Lm · 2700K
IP65
—
L: 4
W: 5.8
H: 9.7 cm




SOREN
— 9050727

Sandy White
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
144Lm · 2700K
IP65
—
L: 4
W: 5.8
H: 9.7 cm



SOREN
— 9050728

Corten
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
144Lm · 2700K
IP65
—
L: 4
W: 5.8
H: 9.7 cm



APPIA

— 9030597

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
367Lm · 3000K
IP54

L: 12.5
W: 3.8
H: 12.5 cm



APPIA
— 9030597



APPIA
— 9030598



APPIA

— 9030598

Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
367Lm · 3000K
IP54

L: 12.5
W: 3.8
H: 12.5 cm



APPIA
— 9030599



APPIA
— 9030600



APPIA

— 9030599

Dark Anthracite
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
350Lm · 3000K
IP54

L: 8.5
W: 3.8
H: 20 cm



APPIA

— 9030600

Corten
Die-Casting
Aluminium & Frost
Polycarbonate
LED · 5 Watt
220-240 Vac
350Lm · 3000K
IP54

L: 8.5
W: 3.8
H: 20 cm





LUTON
— 8403624




LUTON
— 8403626




LUTON
— 8403622



KRYPTON
— 726408



KRYPTON
— 752250



KRYPTON
— 710446



LUTON
— 8403624

Dark Gray ABS
LED · 1 Watt
100-220 Vac
145Lm · 3000K
IP65

L: 12.5
W: 3.3
H: 12.5 cm



LUTON
— 8403626

Dark Gray ABS
LED · 1 Watt
100-220 Vac
150Lm · 3000K
IP65

L: 12.5
W: 3.3
H: 8.3 cm



LUTON
— 8403622

Dark Gray ABS
LED · 2 Watt
100-220 Vac
212Lm · 3000K
IP65

L: 23
W: 3.3
H: 8 cm



KRYPTON
— 726408

Dark Gray Aluminium
LED · 3 Watt
220-240 Vac
270Lm · 3000K
IP54

Beam angle 15°
L: 8.5
W: 5
H: 8.5 cm



KRYPTON
— 752250

Dark Gray Aluminium
LED · 6 Watt
220-240 Vac
751Lm · 3000K
IP54

Beam angle 32°
L: 15
W: 7.5
H: 15 cm



KRYPTON
— 710446

Dark Gray Aluminium & Glass
LED · 6 Watt
220-240 Vac
480Lm · 3000K
IP54

Beam angle 31°
D: 16
W: 9.6 cm





PULSAR
— 812103



PULSAR
— 812104



PULSAR
— 811501



PULSAR
— 812302




PULSAR
— 811201



PULSAR
— 812102



PULSAR
— 811502



PULSAR
— 812103

Dark Gray ABS
Acrylic
& White Diffuser
LED · 6 Watt
220-240 Vac
683Lm · 3000K
IP54

—
L: 23
W: 10
H: 6.5 cm



PULSAR
— 812104

Dark Gray ABS
Acrylic
& White Diffuser
LED · 6 Watt
220-240 Vac
480Lm · 3000K
IP54

—
L: 23
W: 10
H: 6.7 cm



PULSAR
— 811501

Dark Gray ABS
Acrylic
& White Diffuser
LED · 4 Watt
220-240 Vac
557Lm · 3000K
IP54

—
L: 23
W: 3
H: 8 cm



PULSAR
— 812302

Dark Gray ABS
LED · 4 Watt
220-240 Vac
527Lm · 3000K
IP54

—
L: 14
W: 3
H: 14 cm



PULSAR
— 811201

Dark Gray ABS
LED · 2 Watt
220-240 Vac
269Lm · 3000K
IP54

—
L: 12
W: 3
H: 12 cm



PULSAR
— 812102

Dark Gray ABS
LED · 4 Watt
220-240 Vac
462Lm · 3000K
IP54

—
L: 23
W: 3
H: 10 cm




PULSAR
— 811502

Dark Gray ABS
LED · 2 Watt
220-240 Vac
365Lm · 3000K
IP54

—
L: 23
W: 3
H: 8 cm





FINLO
— 9117080

Gray Sandstone
Cement
IP65
—
L: 10
W: 1.7
H: 10 cm

FINLO
— 9117086

Gray Sandstone
Cement
IP65
—
L: 10
W: 1.7
H: 10 cm

FINLO
— 9117084

Gray Sandstone
Cement
IP65
—
L: 10
W: 1.7
H: 10 cm

FINLO
— 9117080



FINLO
— 9117086



FINLO
— 9117084



SOURCE
— 9117082

Gray Aluminium
LED · 4 Watt
220-240 Vac
112Lm · 3000K
IP65
HEP DRIVER
Compatible with:
9117080, 9117084,
9117086

—
L: 6.5
W: 6.7
H: 3.9 cm



SOURCE
— 9117082



MORIS
— 9186703

Gray Cement
LED · 8 Watt
220-240 Vac
418Lm · 3000K
IP65

—
L: 20
W: 9
H: 21.5 cm



MORIS
— 9186703



KRYPTON
— 726403

Sandy White
Aluminium
LED · 2 Watt
220-240 Vac
95Lm · 3000K
IP54
Beam angle 17°
—
L: 8.5
W: 8
H: 5.5cm
Cut Out: 8.1x4.2 cm



KRYPTON
— 726403



KRYPTON
— 726404



KRYPTON
— 726402

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
132Lm · 3000K
IP54
Beam angle 15°
—
L: 11
W: 6
H: 7 cm
Cut Out: 10.2x6.5 cm



KRYPTON
— 726402



KRYPTON
— 726401



KRYPTON
— 726404

Dark Gray
Aluminium
LED · 2 Watt
220-240 Vac
95Lm · 3000K
IP54
Beam angle 17°
—
L: 8.5
W: 8
H: 5.5cm
Cut Out: 8.1x4.2 cm



KRYPTON
— 726401

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
353Lm · 3000K
IP54
Beam angle 15°
—
L: 11
W: 6
H: 7 cm
Cut Out: 10.2x6.5 cm



KRYPTON
— 726405

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
202Lm · 3000K
IP54
Beam angle 17°
—
L: 13.5
W: 8
H: 5.5 cm
Cut Out: 12.7x4.5 cm



KRYPTON
— 726405



KRYPTON
— 726406



KRYPTON
— 726406

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
202Lm · 3000K
IP54
Beam angle 17°
—
L: 13.5
W: 8
H: 5.5 cm
Cut Out: 12.7x4.5 cm



KRYPTON
— 727001

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
270Lm · 3000K
IP54
Beam angle 15°
—
L: 8
W: 7
H: 8 cm
Cut Out: 6.4x6.7 cm



KRYPTON
— 727001



KRYPTON
— 727002



KRYPTON
— 727002

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
270Lm · 3000K
IP54
Beam angle 15°
—
L: 8
W: 7
H: 8 cm
Cut Out: 6.4x6.7 cm




ECHO
— 9030809

Sandy Black
Aluminium
& Polycarbonate
Diffuser
LED · 6 Watt
220-240 Vac
370Lm · 3000K
IP54

L: 17.6
W: 6.3
H: 6.25 cm
Cut out: 14.6x6.25 cm



ECHO
— 9030809



ECHO
— 9030810




ECHO
— 9030810

Sandy White
Aluminium
& Polycarbonate
Diffuser
LED · 6 Watt
220-240 Vac
370Lm · 3000K
IP54

L: 17.6
W: 6.3
H: 6.25 cm
Cut out: 14.6x6.25 cm



VIVION
— 9030819



VIVION
— 9030820



VIVION
— 9030819

Sandy Black Acrylic
& Polycarbonate
Diffuser
LED · 1 Watt
220-240 Vac
29Lm · 3000K
IP54

L: 10
W: 6.5
H: 5 cm
Cut out: 9x6.2 cm



VIVION
— 9030820

Sandy White Acrylic
& Polycarbonate
Diffuser
LED · 1 Watt
220-240 Vac
29Lm · 3000K
IP54

L: 10
W: 6.5
H: 5 cm
Cut out: 9x6.2 cm



OFF

— 9030776

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 4 Watt
220-240 Vac
33Lm · 3000K
IP65

L: 17
W: 5.3
H: 7.6 cm

Cut Out: 16.1x7.1 cm



OFF

— 9030777

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 6 Watt
220-240 Vac
79Lm · 3000K
IP65

L: 25.6
W: 5.3
H: 7.6 cm

Cut Out: 24.6x7 cm



POLKA

— 9030774

Sandy Black
Aluminium
& Glass
LED · 5 Watt
220-240 Vac
55Lm · 3000K
IP65

L: 17
W: 7.4
H: 7.6 cm

Cut Out: 16.1x7.1 cm




POLKA

— 9030775


Sandy Black
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
73Lm · 3000K
IP65

L: 25
W: 7.4
H: 7.6 cm

Cut Out: 24.6x7 cm



POLKA
— 9030757



POLKA
— 9030760



POLKA
— 9030761



MONO
— 9026145



MONO
— 9026144



POLKA

— 9030757

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
31Lm · 3000K
IP65

Beam angle 48°

L: 8.5
W: 7.2
H: 8.5 cm

Cut out: 7.6x7.6 cm



POLKA

— 9030760

Sandy Black
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
58Lm · 3000K
IP65

L: 12
W: 7.4
H: 8 cm

Cut out: 11x7 cm



POLKA

— 9030761

Sandy White
Aluminium
& Glass
LED · 4 Watt
220-240 Vac
58Lm · 3000K
IP65

L: 12
W: 7.4
H: 8 cm

Cut out: 11x7 cm



MONO

— 9026144

Sandy White
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
70Lm · 3000K
IP65

L: 5.8
W: 4.5
H: 5.8 cm

Cut Out: 5x5 cm



MONO

— 9026145

Sandy Black
Aluminium
& Polycarbonate
LED · 3 Watt
220-240 Vac
70Lm · 3000K
IP65

L: 5.8
W: 4.5
H: 5.8 cm

Cut Out: 5x5 cm



RUDY

— 9030758

Sandy Black
Aluminium,
Polycarbonate
& Glass
LED · 3 Watt
220-240 Vac
203Lm · 3000K
IP65

L: 12
W: 4.7
H: 8 cm



RUDY
— 9030758



RUDY
— 9030759



RUDY

— 9030759

Sandy White
Aluminium,
Polycarbonate
& Glass
LED · 3 Watt
220-240 Vac
203Lm · 3000K
IP65

L: 12
W: 4.7
H: 8 cm



OLIN
— 9050705



OLIN
— 9050706



OLIN

— 9050705

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
186Lm · 3000K
IP65

L: 10.2
W: 5.8
H: 7.8 cm





OLIN

— 9050706

Sandy White
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
186Lm · 3000K
IP65

L: 10.2
W: 5.8
H: 7.8 cm





AIZEN
— 9050707

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP65
Beam angle 6°
—
L: 5
W: 6.5 cm
H: 13.5
Cut Out: 12.6x4.2 cm



AIZEN
— 9050707



AIZEN
— 9026120



AIZEN
— 9026120

Sandy White
Aluminium
& Glass
LED · 3 Watt
100-240 Vac
170Lm · 3000K
IP54
Beam angle 6°
—
L: 5
W: 6.5 cm
H: 13.5
Cut Out: 12.6x4.2 cm



AIZEN
— 9050708

Dark Anthracite
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP65
Beam angle 6°
—
L: 7
W: 5.6
H: 6.5 cm



AIZEN
— 9050708



AIZEN
— 9050709



AIZEN
— 9050709

Sandy White
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP65
Beam angle 6°
—
L: 7
W: 5.6
H: 6.5 cm



AIZEN
— 9136185

Dark Anthracite
Aluminium
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP54
Beam angle 6°
—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm



AIZEN
— 9136185



AIZEN
— 9136186



AIZEN
— 9136186

Sandy White
Aluminium
LED · 3 Watt
220-240 Vac
170Lm · 3000K
IP54
Beam angle 6°
—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm



JOYA
— 9944141

Dark Anthracite
Aluminium
LED · 3 Watt
100-240 Vac
16Lm · 3000K
IP65
Beam angle 21°
—
D: 6
W: 4
Cut Out: 5.5 cm




JOYA
— 9944142

Dark Anthracite
Aluminium
LED · 3 Watt
100-240 Vac
23Lm · 3000K
IP65
Beam angle 19°
—
D: 6
W: 4
Cut Out: 5.5 cm



KRYPTON
— 726407

Dark Gray
Aluminium
LED · 3 Watt
220-240 Vac
96Lm · 3000K
IP54
Beam angle 27°
—
D: 8
W: 5.5 cm
Cut Out: 7.7 cm



CAEL
— 9050711 (2700K)
— 9050710 (3000K)

Dark Anthracite
Aluminium & Glass
LED · 3 Watt
220-240 Vac
2700K · 77Lm
3000K · 84Lm
IP65
Beam angle 50°
—
L: 7
W: 7.5
H: 7 cm



CAEL
— 9050713 (2700K)
— 9050712 (3000K)

Sandy White
Aluminium & Glass
LED · 3 Watt
220-240 Vac
2700K · 123Lm
3000K · 130Lm
IP65
Beam angle 50°
—
L: 7
W: 7.5
H: 7 cm



CIRCE
— 9136187

Dark Anthracite
Aluminium
LED · 3 Watt
220-240V
170Lm · 3000K
IP54
Beam angle 50°
—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm



CIRCE
— 9136188

Sandy White
Aluminium
LED · 3 Watt
220-240V
170Lm · 3000K
IP54
Beam angle 50°
—
D: 7
W: 6.5 cm
Cut Out: 5.5 cm




COVE
— 9083011



Sandy White
Die- Casting
Aluminium
& Glass Diffuser
LED · 2 Watt
200-240 Vac
118Lm · 3000K
IP54
—
L: 14
W: 3.8
H: 7.7 cm
Cut Out: 13.2x5 cm



COVE
— 9083021

Sandy White
Die- Casting
Aluminium
& Glass Diffuser
LED · 2 Watt
200-240 Vac
118Lm · 3000K
IP54
—
L: 7.7
W: 3.8
H: 14 cm
Cut Out: 7.4x5 cm





COMPO
— 9019215

Sandy White
Polycarbonate
LED · 1 Watt
220-240 Vac
17Lm · 3000K
IP67

—
D: 5
W: 9 cm
Cut Out: 4.3 cm



COMPO
— 9019216

Sandy Black
Polycarbonate
LED · 1 Watt
220-240 Vac
17Lm · 3000K
IP67

—
D: 5
W: 9 cm
Cut Out: 4.3 cm



ERIS
— 9019217

Sandy Black
Aluminium
LED · 1 Watt
220-240 Vac
24Lm · 3000K
IP67

Light down

—
D: 6
W: 5.4 cm
Cut Out: 4.3 cm



ERIS
— 9019218

Sandy Black
Aluminium
LED · 1 Watt
220-240 Vac
26Lm · 3000K
IP67

Light up & down

—
D: 6
W: 5.4 cm
Cut Out: 4.3 cm



COMPO
— 9019215



COMPO
— 9019216



ERIS
— 9019217



ERIS
— 9019218



IKO
— 9019219

Sandy White
Polycarbonate
LED · 1 Watt
220-240 Vac
40Lm · 3000K
IP67

Light down

—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm



IKO
— 9019220

Sandy Black
Polycarbonate
LED · 1 Watt
220-240 Vac
40Lm · 3000K
IP67

Light down

—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm



IKO
— 9019221

Sandy White
Polycarbonate
LED · 1 Watt
220-240 Vac
45Lm · 3000K
IP67

Light up & down

—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm



IKO
— 9019222

Sandy Black
Polycarbonate
LED · 1 Watt
220-240 Vac
45Lm · 3000K
IP67

Light up & down


—
L: 5.5
W: 9
H: 5.5 cm
Cut Out: 4.3 cm



IKO
— 9019219




IKO
— 9019220



IKO
— 9019221



IKO
— 9019222





BANG
— 9203111

Stainless Steel
LED · 1 Watt
100-240 Vac
60Lm · 3000K
IP67
Beam angle 42°
—
D: 4.2
H: 9 cm
Cut Out: 3.7 cm



BANG
— 9203112

Stainless Steel
LED · 1 Watt
100-240 Vac
60Lm · 3000K
IP67
Beam angle 51°
—
D: 4.2
H: 9 cm
Cut Out: 3.7 cm



BANG
— 9203113

Stainless Steel
LED · 1 Watt
100-240 Vac
60Lm · 3000K
IP67
Beam angle 42°
—
D: 4.2
H: 7 cm
Cut Out: 3.7 cm



! For in ground installations, to avoid ingress of water or humidity we strongly recommend a watercourse installation.
● Warranty is only guaranteed under these circumstances.



BANG
— 9019212

Nickel Aluminium
LED · 1 Watt
3 Vdc · 105Lm
3000K · IP67
Connect it with driver 9020170
—
L: 3.7
H: 5.3 cm
Cut Out: 3.2 cm
Cable Length: 1.80m



BANG
— 9019213

Nickel Aluminium
LED · 1 Watt
3 Vdc · 99Lm
3000K · IP67
Connect it with driver 9020170
—
L: 3.7
H: 5.3 cm
Cut Out: 3.2 cm
Cable Length: 1.80m



BANG
— 8038801

Sandy White Aluminium
LED · 1 Watt
3 Vdc · 19Lm
3000K · IP67
—
D: 3.7
H: 5.3 cm
Cut Out: 3.2 cm



BANG
— 8038401

Sandy White Aluminium
LED · 1 Watt
3 Vdc · 105Lm
3000K · IP67
—
D: 3.7
H: 5.3 cm
Cut Out: 3.2 cm



BANG
— 8039001

Sandy White Aluminium
LED · 1 Watt
3 Vdc · 11.4Lm
3000K · IP67
—
D: 3.7
H: 5.3 cm
Cut Out: 3.2 cm



! Compatible with:
9020170
● Driver 4w Actec Mini
Input:
100-240 Vac
50/60Hz
Output:
3-12 Vdc · 350mA
IP65
Not Dimmable
Cable length:
1.80m



PASSAGIO
— 8090801

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 18Lm
3000K · IP54
**Connect it with
driver 9020170**

L: 3.7
W: 2.2
H: 3.7cm
Cut Out: 3.2 cm
Cable Length: 1.80m



PASSAGIO
— 9045418

Sandy Black
Aluminium
LED · 1 Watt
3 Vdc · 18Lm
3000K · IP54
**Connect it with
driver 9020170**

L: 3.7
W: 2.2
H: 3.7cm
Cut Out: 3.2 cm
Cable Length: 1.80m



PASSAGIO
— 9045514

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 32Lm
3000K · IP54
**Connect it with
driver 9020170**

L: 3.7
W: 2.1
H: 3.7cm
Cut Out: 3.2 cm
Cable Length: 1.80m



PASSAGIO
— 8058001

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 41Lm
3000K · IP54
**Connect it with
driver 9020170**

L: 3.9
W: 2.2
H: 3.9 cm
Cut Out: 3.4 cm
Cable Length: 1.80m



PASSAGIO
— 9031616

Sandy White
Aluminium
LED · 1 Watt
3 Vdc · 70Lm
3000K · IP54
**Connect it with
driver 9020170**

D: 3.9
W: 2.1 cm
Cut Out: 3.2 cm
Cable Length: 1.80m



PASSAGIO
— 9002601

Sandy White
Aluminium
LED Chip Cree
2 Watt
3 Vdc · 40Lm
3000K · IP54
**Beam angle 49°
Driver Included**

D: 5
W: 5
Cut Out: 4.5 cm




PASSAGIO
— 8090801




PASSAGIO
— 9045418




PASSAGIO
— 9045514



PASSAGIO
— 8058001



PASSAGIO
— 9031616



PASSAGIO
— 9002601



Compatible with:
9020170
• Driver 4w Actec Mini
Input:
100-240 Vac · 50/60Hz
Output:
3-12 Vdc · 350mA
IP65
Not Dimmable
Cable length: 1.80m



Accent Lighting

Our accent lights are designed to add depth, warmth, and elegance to any space. Whether highlighting architectural features, artwork, or specific areas, they create a captivating ambiance that enhances your décor.

With energy-efficient LED options designs, our accent lighting solutions offer both functionality and style, making any setting more inviting and visually dynamic.





ONE
— 9030920



ONE
— 9030921



ANDER
— 9050702



ONE
— 9030920

Sandy Black
Aluminium
LED · 4 Watt
24Vdc · 295Lm
3000K · IP65
Beam angle 33°
—
D: 4.5
H: 7.5 cm
Fabric belt: 1m



ONE
— 9030921

Sandy Black
Aluminium
LED · 8 Watt
24Vdc · 464Lm
3000K · IP65
Beam angle 33°
—
D: 5
H: 9 cm
Fabric belt: 1m



ANDER
— 9050702

Dark Anthracite
Aluminium & Glass
LED · 10 Watt
220-240 Vac
604Lm · IP65
CCT
3000-4000-5000K
by Touch Switch
Beam angle 47°
—
L: 13.5
W: 7
H: 16.5 cm



FOX
— 9470582

White Sandstone
Cement & Glass
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 14
H: 16 cm



FOX
— 9470582



FOX
— 9470581

Black Sandstone
Cement & Glass
Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 14
H: 16 cm



FOX
— 9470581





QUICK

— 9844057

Sandy Black
Aluminium
LED · 7 Watt
220-240 Vac
398Lm · 2700K
IP65

Included plastic
spike (+19 cm)

D: 6.5
H: 11 cm



QUICK

— 9844058

Sandy Black
Aluminium
LED · 10 Watt
220-240 Vac
697Lm · 2700K
IP65

Included plastic
spike (+19 cm)

D: 6.5
H: 11 cm



QUICK

— 9844059

Sandy Black
Aluminium
LED · 13 Watt
220-240 Vac
1160Lm · 2700K
IP65

Included plastic
spike (+19 cm)

D: 8
H: 14 cm



CALIX

— 9172870

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
273Lm · 3000K
IP65

D: 4
W: 7.3
H: 22.5 cm



QUICK
— 9844057




QUICK
— 9844058



QUICK
— 9844059



CALIX
— 9172870



INSIDE

— 9010001

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
295Lm · 3000K
IP65

D: 4.5
W: 9
H: 21-26 cm



INSIDE

— 9010002

Sandy Black
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
579Lm · 3000K
IP65

D: 6.5
W: 13
H: 24-31 cm



INSIDE

— 9010003

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
303Lm · 3000K
IP65

D: 4.2
W: 7
H: 21-24 cm



INSIDE


— 9010005

Sandy Black
Aluminium
& Glass
LED · 7 Watt
220-240 Vac
579Lm · 3000K
IP65

D: 6.5
W: 10
H: 24-28 cm



MINI
— 9010004



MINI

— 9010004

Sandy Black
Aluminium
& Glass
LED · 3 Watt
220-240 Vac
303Lm · 3000K
IP65

D: 4.2
W: 7
H: 5.5-8 cm




BASE

— 9010006

Sandy Black
Aluminium
**Combine with
9010002 & 9010005**

D: 5.5
W: 5.5
H: 4 cm





STAKE
— 9271492



STAKE
— 9271432



STAKE
— 9971455

STAKE
— 9271432

Dark Anthracite
Aluminium & Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65

Beam angle 21°

—
D: 5
W: 9
H: 33 cm



STAKE
— 9271492

Dark Anthracite
Aluminium & Glass
LED · 10 Watt
100-240 Vac
742Lm · 3000K
IP65

Beam angle 24°

—
D: 6.5
W: 11
H: 35 cm




STAKE
— 9971455

Dark Anthracite
Aluminium & Glass
LED · 5 Watt
100-240 Vac
378Lm · 3000K
IP65

Beam angle 21°

—
D: 5
W: 7
H: 45 cm



KIMIKO
— 9026126



KIMIKO
— 9026127




VIDA
— 9026128

KIMIKO
— 9026126

Dark Anthracite
Aluminium & Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 7
H: 12.5 cm



KIMIKO
— 9026127

Dark Anthracite
Aluminium & Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 7
W: 12.5
H: 21 cm



VIDA
— 9026128

Dark Anthracite
Aluminium & Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP65

BULB EXCLUDED

—
D: 7
W: 9.5
H: 21 cm





INSIDE
— 767801



INSIDE
— 875409



DESTRY
— 9136183



DESTRY
— 9136184



INSIDE
— 767801

Dark Gray
Aluminium
& Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 11
H: 20 cm



INSIDE
— 875409

Dark Gray
Aluminium
& Glass
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 7.5
W: 15
H: 36 cm



DESTRY
— 9136183

Dark Anthracite
Aluminium, Glass
& Honeycomb
Antiglare Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 5.5
W: 9.5
H: 30 cm



DESTRY
— 9136184

Dark Anthracite
Aluminium, Glass
& Honeycomb
Antiglare Diffuser
LED · GU10 · 1x10 Watt
100-240 Vac
IP54

BULB EXCLUDED

—
D: 5.5
W: 9.5
H: 11.5 cm



NORTH
— 9240677



NORTH
— 9240678



NORTH
— 9240679

NORTH
— 9240677

Dark Anthracite
Aluminium & Glass
LED · 10 Watt
100-240 Vac
700Lm · 3000K
IP65

Beam angle 38°

—
D: 9
W: 9.5 cm



NORTH
— 9240678

Dark Anthracite
Aluminium & Glass
LED · 20 Watt
100-240 Vac
1500Lm · 3000K
IP65

Beam angle 38°

—
D: 12
W: 18 cm



NORTH
— 9240679

Dark Anthracite
Aluminium & Glass
LED · 30 Watt
100-240 Vac
2800Lm · 3000K
IP65

Beam angle 38°

—
D: 15
W: 20.5 cm



WALL WASHER
— 9011161

Wall Washer Sandy
Black Aluminium
& Glass
LED Chip Cree
32 Watt
24Vdc Adjustable
3388Lm · 3000K
IP67
Max Power 300 Watt
—
L: 100
W: 6.5
H: 12 cm



WALL WASHER
— 9011162


Wall Washer Sandy
Black Aluminium
& Glass
LED Chip Cree
44 Watt
24Vdc Adjustable
4223Lm · 3000K
IP67
Max Power 300 Watt
—
L: 100
W: 6.5
H: 12 cm




BRACKET
— 9011163

Brackets for 9011162
2pcs Included

WALL WASHER
— 9011161



WALL WASHER
— 9011162



INSTALLATION



Compatible with:
Multiple luminaires,
parallel 24Vdc connection:




9840106
Led Driver
75W · IP67 · 24Vdc

9840107
Led Driver
100W · IP67 · 24Vdc

9840108
Led Driver
150W · IP67 · 24Vdc

9840109
Led Driver
200W · IP67 · 24Vdc

CONNECTION: 9011161 - 9011162



WALL WASHER
— 9011102

Wall Washer Satin
Nickel Aluminium
& Glass
LED Chip Philips
24Vdc · 15 Watt
746Lm · 3000K
IP67
—
L: 100
W: 2.5
H: 3.5 cm



Compatible with:
Multiple luminaires,
parallel 24Vdc connection:


9840106
Led Driver
75W · IP67 · 24Vdc

9840107
Led Driver
100W · IP67 · 24Vdc

9840108
Led Driver
150W · IP67 · 24Vdc

9840109
Led Driver
200W · IP67 · 24Vdc

INSTALLATION



WATERPROOF
ULTRA THIN

WALL WASHER
— 9011102



Index

ALPHABETICAL INDEX

A	ACQUA	120
	ADORAY	189
	ADURO	97
	AETHER	141
	AGILE	270
	AGOSTO	94
	AIGO	177
	AIRY	59
	AIZEN	411
	AKMI	170
	ALI	321
	ALLEY	47
	ALLURE	255
	ALP	282
	ALUX	235
	AMEL	314
	ANDER	424
	ANETH	249
	APOLLO	120
	APPIA	394
ARABELLA	269	
ARAN	216	
ARION	153	
ARNE	379	
ARROW	310	
ARTU	264	
ASTRAL	258	
AZAR	287	

B	BALI	369
	BANG	416
	BARCO	206
	BERNI	168
	BETA	296
	BEV	213
	BLADE	333
	BLISS	111
	BOXY	288
	BREGGO	243
	BRICE	286
	BRIGI	379
	BRIGITTA	109
	BRIN	270
	BROT	68
	BROWN	256

C	CAEL	413
	CAIRO	206
	CALIX	427
	CAPE	263
	CAPO	130
	CARINA	85
	CASTRO	219
	CECI	329
	CERISE	331
	CETERA	192
	CHARGING BASE	350
	CHIARO	54
	CICO	232
	CIRCE	413

C	COLT	360
	COMBO	265
	COMO	275,279,292
	COMPO	414
	COPPER	230
	COSMIC	167
	COVE	413
	CRAM	208
	CUPPA	184

D	DALT	347
	DARA	330
	DARF	296
	DARMA	144
	DECK	355
	DESSAY	149
	DESTRY	432
	DEVORA	181
	DEWEI	287
	DEWI	293
	DIO	283
	DIRA	27
	DOUL	249
	DROPLET	313
	DUOMO	284
	DYN	156
	DYOL	142

E	ECHO	404
	ELBO	342
	ELIO	280
	ELLERY	105
	ELYSIUM	178
	EMILE	223,225
	ENZI	118
	EPIC	275
	ERIS	414
	ETA	26

F	FARGE	114
	FEDOR	269
	FEM	380
	FEND	132
	FERRON	126
	FIGI	370
	FIGO	189
	FINLO	400
	FLORA	254
	FOCUS	134,297,327
	FOX	425
	FUENTO	223
	FUMU	353
	FUNGO	264

G	GERBER	272
	GLEAM	72
	GRANTE	216
	GRAVITY	270
	GRIGIO	341

H	HELMET	297
----------	--------	-----

I	IKO	415
	IMAN	34
	INGA	253
	INSIDE	428,432
	ISIDORA	198
	ISOS	247

J	JACKIE	303
	JAX	326
	JIGRA	364
	JOYA	412
	JUDI	324

K	KEEN	260,262
	KIMIKO	431
	KIOO	48
	KRYPTON	397,402,412

L	LETO	306
	LIDO	222
	LIMBIO	304
	LITA	221
	LIV	386
	LOCK	127
	LOEVE	187
	LORD	70
	LOVETO	156
	LUA	204
	LUCIA	367
	LUMINA	328
	LUMO	349
	LUNA	220
	LUPO	262
	LUSY	299
	LUTON	397
	LUXOR	70

M	MABEL	30
	MADDI	99
	MARBLE	44
	MAX	94
	METRO	66

M	MILE	269
	MILEY	285
	MINI	428
	MINIMAL	102
	MINOR	227
	MISTI	170
	MOBY	236
	MOCHA	370
	MONO	407
	MOOD	87
	MOON	160,162
	MORIS	401
	MOTLEY	81,83

N	NAVY	202
	NAWA	150
	NECTAR	271,383
	NED	111
	NEMO	87
	NEREUS	177
	NERO	301
	NEVE	64
	NITRO	88
	NOBU	263
	NOCTA	266
	NODINO	214
	NODUS	302
	NOOI	68
	NORTH	433
	NOTEN	60
	NOVA	252
	NUS	296

O	OFF	406
	OFIR	74
	OLIN	408
	OLIVER	323
	OMIKA	196
	ONE	424
	OONO	265
	OPERA	277
	OPTUS	175
	OPU	184
	ORACLE	78
	ORION	290
	OVI	297

P	PACIFIC	190
	PAN	378
	PAR	225
	PARK	117
	PARRIS	271
	PASSAGIO	418
	PASSO	389
	PATH	251
	PAUL	155
	PAX	172
	PEC	128

P	PERSEA	373
	PETIT	356
	PETRA	226
	PIPE	77
	PISTILLO	64
	POET	74
	POLKA	406,407
	POLLY	266
	PORTAL	103
	POSEN	118
	PRATO	292
	PRIM	273
	PRIVE	182,238
	PUK	339
PULSAR	398	
PURE	271	
PYRO	123	

Q	QUICK	427
----------	-------	-----

R	RAMO	130
	REGINA	241
	REO	324
	RIDGE	244
	RIO	387
	RITZ	224
	ROB	51
	ROCK	60
	RODIX	380
	ROSE	352
	RUDY	408

S	SALLY	272
	SANGO	391
	SASSO	39
	SEINA	359
	SELENA	194
	SENTO	139
	SERIKA	284
	SKY	323
	SLOT	146
	SOHO	293
	SOLSTICE	28
	SOREN	392
	SORREN	241
	SOUL	57
	SPIX	321
	SPOT	330
	SPY	136
	STAGE	214
	STAKE	430
	STARK	181
STICK	124	
STONE	92	
STOR	40	

S	SUB	384
	SUITE	90
	SURF	175

T	TAGLIO	63
	TALA	57,97
	TALL	101
	TEGOLO	366
	TEK	53
	TICK	291
	TIEN	97
	TIEPOLO	310
	TOBY	383
	TOMMY	323
	TORRIN	298
	TOWER	88
	TRENDO	273
	TUBE	37
TUNE	313	
TURA	211	
TWIN	113	

V	VALOR	273
	VEIRO	285
	VEL	73
	VERHAL	365
	VIDA	431
	VIDENO	272
	VIRTUS	32
	VISION	387
VIVION	404	
VOLVEL	112	

W	WALL WASHER	434
	WAY	294

Y	YCRO	344
	YOKO	294
	YORK	295

Z	ZARI	279
	ZARO	293
	ZELDA	107
	ZENITH	308
	ZENON	263
	ZEST	187
	ZIRI	270
	ZOSIA	192









CODE INDEX

710021	301	752250	397	910021	301	9010001	428	9020926	107	9030112	40	9030162	175	9030594	253	9030709	251	9030801	296	9030843	328	9030938	277
710022	301	752461	327	910022	301	9010002	428	9020927	379	9030113	40	9030163	175	9030595	253	9030710	251	9030802	101	9030844	328	9030939	277
710041	301	752462	327	910041	301	9010003	428	9020928	109	9030114	66	9030164	314	9030596	253	9030711	356	9030803	101	9030845	328	9030940	277
710042	301	752463	327	910042	301	9010004	428	9020929	109	9030115	144	9030165	314	9030597	394	9030712	356	9030804	101	9030846	72	9030941	277
710446	397	752470	297	8038401	417	9010005	428	9020930	109	9030116	144	9030166	314	9030598	394	9030713	356	9030805	37	9030847	72	9030942	277
711024	117	767801	432	8038801	417	9010006	428	9020931	109	9030117	144	9030167	314	9030599	394	9030714	356	9030806	37	9030848	141	9030943	252
713113	308	773221	302	8039001	417	9010008	282	9020932	308	9030118	144	9030558	153	9030600	394	9030715	356	9030807	254	9030849	141	9030944	252
713114	308	773222	302	8058001	418	9010009	282	9020933	308	9030133	342	9030559	153	9030601	190	9030716	66	9030808	254	9030850	141	9030945	260
713115	308	773223	302	8090801	418	9010601	304	9026001	94	9030134	342	9030560	153	9030602	190	9030717	66	9030809	403	9030851	139	9030946	260
713121	113	773224	302	8403622	397	9010602	304	9026002	94	9030135	342	9030561	355	9030603	190	9030718	64	9030810	403	9030854	39	9030947	326
713122	113	810067	270	8403624	397	9010621	304	9026116	287	9030136	342	9030562	355	9030604	190	9030719	64	9030811	383	9030855	39	9030948	326
713123	117	811201	399	8403626	397	9010622	304	9026117	287	9030137	342	9030563	355	9030605	190	9030720	150	9030812	383	9030856	39	9030949	87
713124	117	811501	398	9002601	418	9011102	435	9026118	287	9030138	344	9030564	355	9030606	190	9030721	150	9030813	383	9030857	87	9030949	326
713311	120	811502	399	9002840	103	9011161	434	9026119	269	9030139	344	9030565	168	9030607	348	9030722	150	9030814	383	9030858	87	9031616	418
713312	120	812102	399	9002841	103	9011162	434	9026120	411	9030140	344	9030566	168	9030608	348	9030723	73	9030815	291	9030859	87	9040021	331
713313	120	812103	398	9002850	92	9011163	434	9026122	97	9030141	344	9030567	168	9030609	348	9030724	73	9030816	291	9030860	87	9040022	331
713411	120	812104	398	9002851	92	9018061	386	9026123	57	9030142	344	9030568	170	9030610	348	9030744	57	9030817	291	9030861	87	9040061	331
713412	124	812302	399	9002860	92	9018062	386	9026124	57	9030143	347	9030569	170	9030611	348	9030745	57	9030818	291	9030862	87	9045418	418
713514	308	813101	127	9002861	365	9019212	417	9026125	39	9030144	347	9030570	170	9030612	348	9030746	292	9030819	403	9030863	101	9045514	418
726217	279	813104	127	9002862	365	9019213	417	9026126	431	9030145	347	9030571	170	9030613	348	9030747	292	9030820	403	9030864	101	9050700	310
726401	402	819502	111	9002863	353	9019215	414	9026127	431	9030146	347	9030572	32	9030614	348	9030748	88	9030821	330	9030900	236	9050701	310
726402	402	819503	111	9002864	353	9019216	414	9026128	431	9030147	347	9030573	32	9030615	348	9030749	88	9030822	330	9030901	236	9050702	424
726403	402	822642	181	9002866	74	9019217	414	9026144	407	9030148	288	9030574	32	9030616	348	9030750	88	9030823	323	9030902	236	9050703	326
726404	402	826423	181	9002867	74	9019218	414	9026145	407	9030149	288	9030575	32	9030617	348	9030751	238	9030824	88	9030903	99	9050704	326
726405	402	833426	270	9002868	74	9019219	415	9027201	264	9030150	288	9030576	271	9030618	348	9030752	238	9030825	88	9030904	99	9050705	408
726406	402	847406	275	9002869	30	9019220	415	9027202	264	9030151	288	9030577	314	9030619	348	9030753	238	9030826	88	9030905	99	9050706	408
726407	412	847407	275	9002870	30	9019221	415	9030100	247	9030152	178	9030578	314	9030620	348	9030754	182	9030827	294	9030906	99	9050707	411
726408	397	847408	275	9002871	97	9019222	415	9030101	247	9030153	178	9030579	189	9030621	348	9030755	182	9030828	294	9030907	146	9050707	411
727001	402	852436	279	9002872	97	9020021	331	9030102	247	9030154	136	9030580	177	9030622	350	9030757	407	9030829	294	9030908	146	9050708	411
727002	402	859438	90	9002873	192	9020022	331	9030103	249	9030155	136	9030581	177	9030623	350	9030758	408	9030830	295	9030909	146	9050710	413
740401	293	859439	90	9002874	192	9020061	331	9030104	249	9030156	136	9030582	177	9030624	272	9030759	408	9030831	295	9030920	424	9050711	413
740402	293	870026	187	9002875	192	9020921	107	9030105	249	9030157	136	9030583	256	9030625	373	9030760	407	9030832	295	9030921	424	9050712	413
740403	293	870045	187	9002876	364	9020922	107	9030106	34	9030158	265	9030584	256	9030626	28	9030761	407	9030833	295	9030922	266	9050713	413
740404	293	870426	198	9002877	364	9020923	107	9030107	34	9030159	265	9030585	256	9030627	28	9030766	310	9030834	324	9030923	266	9050714	298
741662	292	870445	198	9002878	97	9020924	107	9030108	34	9030160	27	9030586	177	9030628	178	9030767	310	9030835	324	9030930	266	9050715	298
747406	275	875409	432	9002879	97	9020925	107	9030111	40	9030161	27	9030587	177	9030629	178	9030768	324	9030836	324	9030931	266	9050716	298
												9030588	177	9030630	258	9030769	324	9030837	324	9030932	378	9050717	298
												9030589	167	9030631	258	9030774	406	9030838	383	9030933	378	9050718	298
												9030590	167	9030632	258	9030775	406	9030839	383	9030934	290	9050719	298
												9030591	167	9030633	258	9030776	406	9030840	383	9030935	290	9050720	298
												9030592	167	9030707	251	9030777	406	9030841	383	9030936	290	9050721	298
												9030593	253	9030708	251	9030800	296	9030842	328	9030937	277	9050722	298



9050723	298	9060249	70	9136186	411	9136438	380	9186180	225	9207912	134	9271431	132	9492750	195	9695506	63	9923408	244	9971468	297
9050724	298	9060250	70	9136187	413	9136439	380	9186181	225	9209211	123	9271432	430	9492760	241	9695507	63	9923409	249	9971469	297
9050725	298	9060261	77	9136188	413	9136440	380	9186182	226	9209212	123	9271433	132	9492770	74	9739351	219	9923410	249	9971470	280
9050726	392	9060262	77	9136400	339	9136441	380	9186183	226	9220021	329	9271491	132	9492780	74	9739352	219	9923411	230	9971471	280
9050727	392	9060263	77	9136401	339	9136442	380	9186184	204	9220022	329	9271492	430	9521001	323	9756600	172	9923412	230	9971472	280
9050728	392	9060264	77	9136402	339	9136443	59	9186185	204	9223403	359	9277151	94	9521002	323	9756800	172	9923413	230	9971473	280
9050729	284	9060320	81	9136403	339	9136444	59	9186186	204	9223404	359	9279111	134	9522101	313	9762161	219	9923414	230	9971474	280
9050730	284	9060321	83	9136404	339	9136445	59	9186703	401	9223405	359	9279112	134	9522102	313	9762162	219	9923415	230	9971475	280
9050731	139	9060322	83	9136405	339	9136446	232	9186704	227	9223406	359	9281380	352	9529712	313	9790021	216	9923416	230	9971476	114
9050732	139	9060323	81	9136405	341	9136447	232	9186705	214	9223407	359	9281381	352	9529713	313	9790022	216	9923417	230	9971477	114
9050733	139	9080141	44	9136406	235	9136448	184	9186706	214	9223408	359	9291701	130	9529720	313	9790521	222	9923418	230	9971478	114
9050734	139	9080142	44	9136407	235	9136449	184	9186707	214	9223409	359	9291702	130	9529721	313	9790522	222	9923419	243	71371101	124
9060181	192	9080143	44	9136408	235	9136450	283	9186708	214	9223409	360	9291703	130	9540207	206	9790531	222	9923420	243	71371102	124
9060182	192	9080144	44	9136409	51	9136451	283	9186709	68	9223409	362	9297191	90	9540208	206	9790532	222	9923421	243	GL9030850	141
9060183	192	9083011	413	9136410	389	9136452	341	9186710	68	9223410	360	9470581	425	9540209	223	9790541	223	9923422	243	GL90602431	78
9060184	126	9083021	413	9136411	389	9136453	341	9186712	160	9223410	362	9470582	425	9540210	225	9790542	223	9923423	272	GL99714531	321
9060185	126	9100916	105	9136412	389	9136454	341	9186713	160	9223412	360	9492441	353	9540211	217	9790551	223	9923500	370	GL99714561	321
9060192	189	9100917	105	9136413	389	9136455	341	9186714	160	9223413	360	9492442	241	9540212	217	9790552	223	9925665	296		
9060193	189	9100918	105	9136414	389	9136456	255	9186715	162	9223414	360	9492500	189	9540213	216	9840106	139 146	9925666	296		
9060194	196	9104021	111	9136415	389	9136457	255	9186716	162	9223415	360	9492510	273	9540214	213	9840107	139 146	9926617	263		
9060195	196	9104022	111	9136416	384	9136458	255	9186717	162	9223997	362	9492520	273	9540215	213	9840108	139 146	9936101	118		
9060196	196	9104835	285	9136417	384	9136459	255	9186718	162	9223998	362	9492540	273	9540216	213	9840109	139 146	9936102	118		
9060197	196	9117080	400	9136418	384	9136460	53	9190101	156	9223999	362	9492550	263	9540217	206	9840109	139 146	9944141	412		
9060199	130	9117082	400	9136419	26	9136461	53	9193101	187	9226214	279	9492560	271	9540218	206	9844057	427	9944142	412		
9060202	306	9117084	400	9136420	128	9136462	54	9193102	187	9226215	279	9492570	270	9540225	202	9844058	427	9944602	323		
9060203	306	9117086	400	9136421	128	9136463	54	9195061	112	9226216	279	9492580	284	9540226	202	9844059	427	9944603	323		
9060204	306	9120621	156	9136422	47	9136464	184	9195062	112	9226217	279	9492590	272	9540227	224	9905021	60	9971451	132		
9060205	306	9120622	156	9136423	47	9160081	263	9197701	241	9232115	333	9492600	265	9540228	224	9905022	60	9971452	132		
9060206	263	9121911	362	9136424	47	9160101	270	9197702	241	9232116	334	9492610	263	9540234	220	9905023	60	9971453	321		
9060207	85	9121912	362	9136425	64	9172870	427	9200201	296	9232117	335	9492620	271	9540235	220	9905024	60	9971455	430		
9060208	85	9131201	118	9136426	64	9176101	175	9200202	296	9232118	336	9492630	269	9540236	220	9905025	60	9971456	321		
9060213	85	9131202	118	9136427	49	9176102	175	9200611	329	9232119	337	9492640	293	9540237	211	9922350	370	9971457	299		
9060230	81	9136174	275	9136428	49	9176103	367	9200612	329	9232120	338	9492650	293	9540238	211	9922360	369	9971458	299		
9060231	83	9136175	275	9136429	51	9176104	367	9202261	285	9240677	433	9492660	181	9540239	221	9922510	369	9971459	299		
9060232	81	9136176	286	9136430	51	9176105	272	9202262	285	9240678	433	9492670	387	9540240	221	9923400	142	9971460	264		
9060233	83	9136177	286	9136431	366	9176106	155	9203111	416	9240679	433	9492680	379	9540241	208	9923401	142	9971461	264		
9060243	78	9136178	330	9136432	366	9176107	155	9203112	416	9257871	269	9492690	387	9540242	208	9923402	149	9971462	303		
9060244	78	9136179	330	9136433	391	9176108	155	9203113	416	9262111	269	9492700	370	9540268	211	9923403	149	9971463	303		
9060245	78	9136182	297	9136434	391	9176109	155	9207167	90	9270015	260	9492710	241	9540269	211	9923404	149	9971464	303		
9060246	78	9136183	432	9136435	391	9176110	155	9207168	90	9270016	260	9492720	194	9540271	208	9923405	244	9971465	139		
9060247	70	9136184	432	9136436	391	9176111	102	9207615	94	9270027	260	9492730	194	9540272	208	9923406	244	9971466	68		
9060248	70	9136185	411	9136437	380	9176112	102	9207616	94	9270028	260	9492740	195	9695505	63	9923407	244	9971467	68		

PICTOGRAMS





LAMP TYPE

	LED
	BULB EXCLUDED
	BULB INCLUDED
	GU10
	E27
	E14
	G9
	GX53

LIGHT COLOR




	WARM WHITE
	CCT

EXTRAS

	MOTION SENSOR
	SOLAR SENSOR
	SWITCH ON/OFF
	ANTI SALT PROTECTION




CLASS

The protection class indicated to what extent the luminaire is protected against electric shock. All luminaires in this catalogue are at least protected with the protection class I – a higher class is specified in the information box of the respective luminaire.



	CLASS I Protective earthing
	CLASS II Protective Insulation
	CLASS III Protective Low Voltage

IP PROTECTION



The protection rating ensures the operational safety of luminaires. The first number specifies the extent of the protection against the ingress of foreign bodies, the second number identifies the humidity protection grade.

	IP54
	IP65
	IP67

DRIVER

	DRIVER INCLUDED
	DRIVER EXCLUDED

DIMMABLE





	DIMMABLE
	NOT DIMMABLE

COLORS & MATERIALS

ALLUMINIUM

	SANDY WHITE
	GRAY
	DARK GRAY
	DARK ANTHRACITE
	SANDY BLACK
	CORTEN
	ANTIQUE BROWN
	BEIGE
	SAND
	CREAM
	BASALT GRAY
	OLIVE GREEN
	SAGE GREEN
	RUST
	ORANGE
	BRASS GOLD

POLYCARBONATE


	WHITE
	SANDY WHITE
	DARK GRAY
	SANDY BLACK

CEMENT

	WHITE
	GRAY
	WHITE SANDSTONE
	BLACK SANDSTONE
	GRAY SANDSTONE

OTHERS

	MARBLE TRAVERTINE
	WHITE FIBER RESIN



light
the essence
of life

